

11T 2023 U.S. Women's Open Pattern #4



Oil Pattern Distance **Forward Oil Total Tank Configuration**

41 20.7 mL Multi Tank

Reverse Brush Drop Reverse Oil Total Tank A Conditioner

39 7.875 mL **Fire** Oil Per Board **Volume Oil Total Tank B Conditioner**

45 ul 28.575 mL Ice

START STOP LOADS SPEED BUFFER TANK CROSSED START END FEET T.OIL 1 2L 2R 6 18 4 A 222 0.0 12.7 12.7 9990 2 2L 5R 2 18 4 A 68 12.7 17.8 5.1 3060 3 8L 8R 1 18 4 A 25 17.8 20.3 2.5 1125 4 11L 11R 1 18 4 A 19 20.3 22.8 2.5 855 5 13L 13R 1 18 3 A 15 22.8 25.3 2.5 675 6 2L 2R 3 14 3 A 111 25.3 31.2 5.9 4995 7 2L 2R 0 14 3 A 0 31.2		CTART	CTO.		corre	BUILDE	T	cnoccen		FAIR		T.O.II
2 2L 5R 2 18 4 A 68 12.7 17.8 5.1 3060 3 8L 8R 1 18 4 A 25 17.8 20.3 2.5 1125 4 11L 11R 1 18 4 A 19 20.3 22.8 2.5 855 5 13L 13R 1 18 3 A 15 22.8 25.3 2.5 675 6 2L 2R 3 14 3 A 111 25.3 31.2 5.9 4995 7 2L 2R 0 14 3 A 0 31.2 38.0 6.8 0		START	STOP	LOADS	SPEED	BUFFER	IANK	CROSSED	START	END	FEET	T.OIL
3 8L 8R 1 18 4 A 25 17.8 20.3 2.5 1125 4 11L 11R 1 18 4 A 19 20.3 22.8 2.5 855 5 13L 13R 1 18 3 A 15 22.8 25.3 2.5 675 6 2L 2R 3 14 3 A 111 25.3 31.2 5.9 4995 7 2L 2R 0 14 3 A 0 31.2 38.0 6.8 0	1	2L	2R	6	18	4	Α	222	0.0	12.7	12.7	9990
4 11L 11R 1 18 4 A 19 20.3 22.8 2.5 855 5 13L 13R 1 18 3 A 15 22.8 25.3 2.5 675 6 2L 2R 3 14 3 A 111 25.3 31.2 5.9 4995 7 2L 2R 0 14 3 A 0 31.2 38.0 6.8 0	2	2L	5R	2	18	4	Α	68	12.7	17.8	5.1	3060
5 13L 13R 1 18 3 A 15 22.8 25.3 2.5 675 6 2L 2R 3 14 3 A 111 25.3 31.2 5.9 4995 7 2L 2R 0 14 3 A 0 31.2 38.0 6.8 0	3	8L	8R	1	18	4	Α	25	17.8	20.3	2.5	1125
6 2L 2R 3 14 3 A 111 25.3 31.2 5.9 4995 7 2L 2R 0 14 3 A 0 31.2 38.0 6.8 0	4	11L	11R	1	18	4	Α	19	20.3	22.8	2.5	855
7 2L 2R 0 14 3 A 0 31.2 38.0 6.8 0	5	13L	13R	1	18	3	Α	15	22.8	25.3	2.5	675
	6	2L	2R	3	14	3	Α	111	25.3	31.2	5.9	4995
8 2L 2R 0 26 3 A 0 38.0 41.0 3.0 0	7	2L	2R	0	14	3	Α	0	31.2	38.0	6.8	0
	8	2L	2R	0	26	3	Α	0	38.0	41.0	3.0	0

1 2L 2R 0 30 1 B 0 41.0 38.0 -3.0 0 2 2L 2R 0 26 2 B 0 38.0 37.0 -1.0 0 3 2L 2R 0 18 3 B 0 37.0 25.0 -12.0 0 4 12L 12R 2 18 3 B 34 25.0 19.9 -5.1 1530 5 9L 9R 2 18 3 B 46 19.9 14.8 -5.1 2070 6 6L 6R 2 14 3 B 58 14.8 10.9 -3.9 2610 7 2L 2R 1 14 3 B 37 10.9 9.0 -1.9 1665 8 2L 2R 0 10 3 B 0 9.0 0.0 -9.0 0		START	STOP	LOADS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
3 2L 2R 0 18 3 B 0 37.0 25.0 -12.0 0 4 12L 12R 2 18 3 B 34 25.0 19.9 -5.1 1530 5 9L 9R 2 18 3 B 46 19.9 14.8 -5.1 2070 6 6L 6R 2 14 3 B 58 14.8 10.9 -3.9 2610 7 2L 2R 1 14 3 B 37 10.9 9.0 -1.9 1665	1	2L	2R	0	30	1	В	0	41.0	38.0	-3.0	0
4 12L 12R 2 18 3 B 34 25.0 19.9 -5.1 1530 5 9L 9R 2 18 3 B 46 19.9 14.8 -5.1 2070 6 6L 6R 2 14 3 B 58 14.8 10.9 -3.9 2610 7 2L 2R 1 14 3 B 37 10.9 9.0 -1.9 1665	2	2L	2R	0	26	2	В	0	38.0	37.0	-1.0	0
5 9L 9R 2 18 3 B 46 19.9 14.8 -5.1 2070 6 6L 6R 2 14 3 B 58 14.8 10.9 -3.9 2610 7 2L 2R 1 14 3 B 37 10.9 9.0 -1.9 1665	3	2L	2R	0	18	3	В	0	37.0	25.0	-12.0	0
6 6L 6R 2 14 3 B 58 14.8 10.9 -3.9 2610 7 2L 2R 1 14 3 B 37 10.9 9.0 -1.9 1665	1	12L	12R	2	18	3	В	34	25.0	19.9	-5.1	1530
7 2L 2R 1 14 3 B 37 10.9 9.0 -1.9 1665	5	9L	9R	2	18	3	В	46	19.9	14.8	-5.1	2070
	5	6L	6R	2	14	3	В	58	14.8	10.9	-3.9	2610
8 2L 2R 0 10 3 B 0 9.0 0.0 -9.0 0	7	2L	2R	1	14	3	В	37	10.9	9.0	-1.9	1665
	3	2L	2R	0	10	3	В	0	9.0	0.0	-9.0	0

Cleaner Ratio Main Mix Cleaner Ratio Back End Mix Cleaner Ratio Back End Distance Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100

NA NA NA Forward Reverse Combined



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Mlddle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	1.64	1,21	1	1	1,21	1.75



