



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6.30.2023

Squad Time / Event: 10:00am BS OLS

USBC Tech: Sheldon Funn

Oil start time 8:55am

Oil end time 9:20am

Lane Machine #

# 5 BJ

# 5 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

SF

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

**RECORD READINGS**

# 5 BJ

# 5 Pract

Lanes Burned

Back Room

Lanes Oiled

1-12

Average Run Time

801

Tank "A" Valve

568

Tank "B" Valve

494

Lead Tech Initials

SF

Distances Taped

4-9 25'

Give Tapes To MOD



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-29-2023

Squad Time / Event: 10:00am BJS OLS

USBC Tech: Sheldon Funn

Oil start time 8:55am

Oil end time 9:25am

	# <u>5</u> BJ	# <u>5</u> Pract
Lane Machine #		
Drop Machines / Check Cloth and Tank	<u>SF</u>	
Turn On Machine / Check Voltage 26.2 Volts	<u>SF</u>	
Check Tanks For Full Fluids	<u>SF</u>	
Change Planner To Proper Pattern AM/PM	<u>SF</u>	
Warm Up Pumps At 50 Mics	<u>SF</u>	
Check Combined Cleaner (32 mils)	<u>SF</u>	
Replace Tip And Thumb Screw	<u>SF</u>	
Take Machine To Lanes / Type In Lanes	<u>SF</u>	
Burn 2 Lanes With Machine	<u>SF</u>	
Have MOD Verify / Initial Log	<u>T3</u>	
Start / Watch Numbers / Valve / Buffer RPM	<u>SF</u>	
Walk All Lanes When Finished	<u>SF</u>	
Dump / Fill Machines	<u>SF</u>	
<b>RECORD READINGS</b>	# <u>5</u> BJ	# <u>5</u> Pract
Lanes Burned	<u>Burn Room</u>	
Lanes Oiled	<u>1-12</u>	
Average Run Time	<u>787</u>	
Tank "A" Valve	<u>568</u>	
Tank "B" Valve	<u>492</u>	
Lead Tech Initials	<u>SF</u>	
Distances Taped	<u>1.7 25'</u>	
Give Tapes To MOD		



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6.28.2023

Squad Time / Event: 10:00 am BS OIL

USBC Tech: Sheldon Furr

Oil start time 8:55 am

Oil end time 9:20 am

	# <u>5</u> BJ	# <u>5</u> Pract
Lane Machine #		
Drop Machines / Check Cloth and Tank	<u>SF</u>	
Turn On Machine / Check Voltage 26.2 Volts	<u>SF</u>	
Check Tanks For Full Fluids	<u>SF</u>	
Change Planner To Proper Pattern AM/PM	<u>SF</u>	
Warm Up Pumps At 50 Mics	<u>SF</u>	
Check Combined Cleaner (32 mils)	<u>SF</u>	
Replace Tip And Thumb Screw	<u>SF</u>	
Take Machine To Lanes / Type In Lanes	<u>SF</u>	
Burn 2 Lanes With Machine	<u>SF</u>	
Have MOD Verify / Initial Log	<u>T3</u>	
Start / Watch Numbers / Valve / Buffer RPM	<u>SF</u>	
Walk All Lanes When Finished	<u>SF</u>	
Dump / Fill Machines	<u>SF</u>	
<b>RECORD READINGS</b>	# <u>5</u> BJ	# <u>5</u> Pract
Lanes Burned	<u>Burn Area</u>	
Lanes Oiled	<u>1-12</u>	
Average Run Time	<u>794</u>	
Tank "A" Valve	<u>564</u>	
Tank "B" Valve	<u>493</u>	
Lead Tech Initials	<u>SF</u>	
Distances Taped	<u>4.5 25'</u>	
Give Tapes To MOD		



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-27-2023

Squad Time / Event: 10:00 AM BJ oil

USBC Tech: Sheldon Fung

Oil start time 8:55

Oil end time 9:20 AM

	# <u>5</u> BJ	# <u>5</u> Pract
Lane Machine #		
Drop Machines / Check Cloth and Tank	<u>SF</u>	
Turn On Machine / Check Voltage 26.2 Volts	<u>SF</u>	
Check Tanks For Full Fluids	<u>SF</u>	
Change Planner To Proper Pattern AM/PM	<u>SF</u>	
Warm Up Pumps At 50 Mics	<u>SF</u>	
Check Combined Cleaner (32 mils)	<u>SF</u>	
Replace Tip And Thumb Screw	<u>SF</u>	
Take Machine To Lanes / Type In Lanes	<u>SF</u>	
Burn 2 Lanes With Machine	<u>SF</u>	
Have MOD Verify / Initial Log	<u>LG.</u>	
Start / Watch Numbers / Valve / Buffer RPM	<u>SF</u>	
Walk All Lanes When Finished	<u>SF</u>	
Dump / Fill Machines	<u>SF</u>	
<b>RECORD READINGS</b>	# <u>5</u> BJ	# <u>5</u> Pract
Lanes Burned	<u>Burn Room</u>	
Lanes Oiled	<u>1-12</u>	
Average Run Time	<u>794</u>	
Tank "A" Valve	<u>570</u>	
Tank "B" Valve	<u>492</u>	
Lead Tech Initials	<u>SF</u>	
Distances Taped	<u>1-3 25'</u>	
Give Tapes To MOD		



Date: 6-25-23

Time: 9AM O/S BJ

USBC Rep: Byron

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	DC	<input type="checkbox"/>
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Warm Up Pumps at 50 mic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-25-23

Squad Time / Event: 10 AM O/S BJ

USBC Tech: Byron

Oil start time 9:45 AM

Oil end time 10:05 AM

Lane Machine #

# 5 BJ

# 5 Pract

Drop Machines / Check Cloth and Tank

BC

Turn On Machine / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Change Planner To Proper Pattern AM/PM

Warm Up Pumps At 50 Mics

Check Combined Cleaner (32 mils)

Replace Tip And Thumb Screw

Take Machine To Lanes / Type In Lanes

Burn 2 Lanes With Machine

Have MOD Verify / Initial Log

Start / Watch Numbers / Valve / Buffer RPM

Walk All Lanes When Finished

Dump / Fill Machines

**RECORD READINGS**

# 5 BJ

# 5 Pract

Lanes Burned

6room

Lanes Oiled

1-12

Average Run Time

795

Tank "A" Valve

566

Tank "B" Valve

490

Lead Tech Initials

BC

Distances Taped

25ft 40 3

Give Tapes To MOD



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-24-2023

Squad Time / Event: 10:00am B5 016

USBC Tech: Sheldon Furr

Oil start time 9:55AM

Oil end time 9:17AM

Lane Machine #

# 5 BJ

# 5 Pract

Drop Machines / Check Cloth and Tank

SF

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

T3

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

**RECORD READINGS**

# 5 BJ

# 5 Pract

Lanes Burned

Burn Room

Lanes Oiled

1-12

Average Run Time

794

Tank "A" Valve

565

Tank "B" Valve

491

Lead Tech Initials

BC

Distances Taped

L-11 25'

Give Tapes To MOD



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6.23.2023

Squad Time / Event: 10:00am BS Ols

USBC Tech: Sheldon Funk

Oil start time 8:50am

Oil end time 9:20am

Lane Machine #

# 5 BJ

# 5 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

BF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

T3

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

**RECORD READINGS**

# 5 BJ

# 5 Pract

Lanes Burned

Burn Room

Lanes Oiled

1-12

Average Run Time

794

Tank "A" Valve

588

Tank "B" Valve

496

Lead Tech Initials

SF

Distances Taped

4.9 25'

Give Tapes To MOD



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6.22.2023

Squad Time / Event: 10:00am BS O/S

USBC Tech: Sheldon Furr

Oil start time 8:55am

Oil end time 9:25am

Lane Machine #

# 5 BJ

# 5 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TJ

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

**RECORD READINGS**

# 5 BJ

# 5 Pract

Lanes Burned

Burn Room

Lanes Oiled

1-12

Average Run Time

796

Tank "A" Valve

567

Tank "B" Valve

492

Lead Tech Initials

SF

Distances Taped

1-5 25'

Give Tapes To MOD



Date: 6-21-2023

Time: 10:00am BS 015

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF	<input type="checkbox"/>
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF	<input type="checkbox"/>
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF	<input type="checkbox"/>
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF	<input type="checkbox"/>
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF	<input type="checkbox"/>
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF	<input type="checkbox"/>
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF	<input type="checkbox"/>
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF	<input type="checkbox"/>
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF	<input type="checkbox"/>
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>

# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

6-21-2023

Squad Time / Event:

10:00am BJ o/s

USBC Tech:

Sheldon Furr

Oil start time

8:50am

Oil end time

9:20am

Lane Machine #

# 5 BJ

# 5 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

T3

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

**RECORD READINGS**

# 5 BJ

# 5 Pract

Lanes Burned

Burn Room

Lanes Oiled

1-12

Average Run Time

797

Tank "A" Valve

569

Tank "B" Valve

494

Lead Tech Initials

SF

Distances Taped

1-3 25'

Give Tapes To MOD



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-20-2023 Squad Time / Event: 10:00am B5 015

USBC Tech: Sheldene Funa Oil start time 8:55am Oil end time 9:20am

Lane Machine # # 5 BJ # 5 Pract

Drop Machines / Check Cloth and Tank SF

Turn On Machine / Check Voltage 26.2 Volts SF

Check Tanks For Full Fluids SF

Change Planner To Proper Pattern AM/PM SF

Warm Up Pumps At 50 Mics SF

Check Combined Cleaner (32 mils) SF

Replace Tip And Thumb Screw SF

Take Machine To Lanes / Type In Lanes SF

Burn 2 Lanes With Machine SF

Have MOD Verify / Initial Log He

Start / Watch Numbers / Valve / Buffer RPM SF

Walk All Lanes When Finished SF

Dump / Fill Machines SF

**RECORD READINGS** # 5 BJ # 5 Pract

Lanes Burned Good Room

Lanes Oiled 1-12

Average Run Time 802

Tank "A" Valve 560

Tank "B" Valve 493

Lead Tech Initials SF

Distances Taped 1-3 25'

Give Tapes To MOD



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-19-2023 Squad Time / Event: 8:00am BS Ols

USBC Tech: Sheldon Funn Oil start time 7:10am Oil end time 7:25am

Lane Machine #	# <u>5</u> BJ	# <u>5</u> Pract
Drop Machines / Check Cloth and Tank	<u>SF</u>	
Turn On Machine / Check Voltage 26.2 Volts	<u>SF</u>	
Check Tanks For Full Fluids	<u>SF</u>	
Change Planner To Proper Pattern AM/PM	<u>SF</u>	
Warm Up Pumps At 50 Mics	<u>SF</u>	
Check Combined Cleaner (32 mils)	<u>SF</u>	
Replace Tip And Thumb Screw	<u>SF</u>	
Take Machine To Lanes / Type In Lanes	<u>SF</u>	
Burn 2 Lanes With Machine	<u>SF</u>	
<b>Have MOD Verify / Initial Log</b>		
Start / Watch Numbers / Valve / Buffer RPM	<u>SF</u>	
Walk All Lanes When Finished	<u>SF</u>	
Dump / Fill Machines	<u>SF</u>	
<b>RECORD READINGS</b>	# <u>5</u> BJ	# <u>5</u> Pract
Lanes Burned	<u>Burn Room</u>	
Lanes Oiled	<u>1-6</u>	
Average Run Time	<u>800</u>	
Tank "A" Valve	<u>567</u>	
Tank "B" Valve	<u>490</u>	
Lead Tech Initials	<u>SF</u>	
Distances Taped	<u>4.1 25'</u>	
Give Tapes To MOD		

# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

6-18-23

Squad Time / Event: 8AM

USBC Tech:

Tyrene B

Oil start time

7:15

Oil end time

7:30

Lane Machine #

# 5 BJ

# 5 Pract

Drop Machines / Check Cloth and Tank

B

Turn On Machine / Check Voltage 26.2 Volts

B

Check Tanks For Full Fluids

B

Change Planner To Proper Pattern AM/PM

B

Warm Up Pumps At 50 Mics

B

Check Combined Cleaner (32 mils)

B

Replace Tip And Thumb Screw

B

Take Machine To Lanes / Type In Lanes

B

Burn 2 Lanes With Machine

B

Have MOD Verify / Initial Log

~~B~~

Start / Watch Numbers / Valve / Buffer RPM

B

Walk All Lanes When Finished

B

Dump / Fill Machines

B

**RECORD READINGS**

# 5 BJ

# 5 Pract

Lanes Burned

BR

Lanes Oiled

7-12

Average Run Time

800

Tank "A" Valve

570

Tank "B" Valve

490

Lead Tech Initials

B

Distances Taped

25

Give Tapes To MOD

# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-17-23

Squad Time / Event: BJ

USBC Tech: Tyrene B.

Oil start time 7:5AM

Oil end time 7:25AM

Lane Machine #	# <u>5</u> BJ	# <u>5</u> Pract
Drop Machines / Check Cloth and Tank	B	
Turn On Machine / Check Voltage 26.2 Volts	B	
Check Tanks For Full Fluids	B	
Change Planner To Proper Pattern AM/PM	B	
Warm Up Pumps At 50 Mics	B	
Check Combined Cleaner (32 mils)	B	
Replace Tip And Thumb Screw	B	
Take Machine To Lanes / Type In Lanes	B	
Burn 2 Lanes With Machine	B	
Have MOD Verify / Initial Log	B	
Start / Watch Numbers / Valve / Buffer RPM	B	
Walk All Lanes When Finished	B	
Dump / Fill Machines	B	

**RECORD READINGS**

	# <u>5</u> BJ	# <u>6</u> Pract
Lanes Burned	BR	
Lanes Oiled	1-6	
Average Run Time	795	
Tank "A" Valve	562	
Tank "B" Valve	492	
Lead Tech Initials	B	
Distances Taped	25	
Give Tapes To MOD		







# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6.15.2023

Squad Time / Event: 8:00am BJ o/s

USBC Tech: Sheldon Furr

Oil start time 7:05am

Oil end time 7:25am

Lane Machine # # 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank	SF
Turn On Machine / Check Voltage 26.2 Volts	SF
Check Tanks For Full Fluids	SF
Change Planner To Proper Pattern AM/PM	SF
Warm Up Pumps At 50 Mics	SF
Check Combined Cleaner (32 mils)	SF
Replace Tip And Thumb Screw	SF
Take Machine To Lanes / Type In Lanes	SF
Burn 2 Lanes With Machine	SF
Have MOD Verify / Initial Log	LG
Start / Watch Numbers / Valve / Buffer RPM	SF
Walk All Lanes When Finished	SF
Dump / Fill Machines	SF

**RECORD READINGS** # 5 BJ

# 6 Pract

Lanes Burned	<u>Burn Room</u>
Lanes Oiled	<u>1-5</u>
Average Run Time	<u>795</u>
Tank "A" Valve	<u>571</u>
Tank "B" Valve	<u>493</u>
Lead Tech Initials	<u>SF</u>
Distances Taped	<u>6.5 25</u>
Give Tapes To MOD	



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-14-2023

Squad Time / Event: 8:00am. BS Oils

USBC Tech: Sheldon Furr

Oil start time 7:05am

Oil end time 7:25am

Lane Machine # # 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank	<u>SF</u>
Turn On Machine / Check Voltage 26.2 Volts	<u>SF</u>
Check Tanks For Full Fluids	<u>SF</u>
Change Planner To Proper Pattern AM/PM	<u>SF</u>
Warm Up Pumps At 50 Mics	<u>SF</u>
Check Combined Cleaner (32 mils)	<u>SF</u>
Replace Tip And Thumb Screw	<u>SF</u>
Take Machine To Lanes / Type In Lanes	<u>SF</u>
Burn 2 Lanes With Machine	<u>SF</u>
Have MOD Verify / Initial Log	<u>LG.</u>
Start / Watch Numbers / Valve / Buffer RPM	<u>SF</u>
Walk All Lanes When Finished	<u>SF</u>
Dump / Fill Machines	<u>SF</u>

**RECORD READINGS** # 5 BJ

# 6 Pract

Lanes Burned	<u>Burn Room</u>
Lanes Oiled	<u>7-12</u>
Average Run Time	<u>790</u>
Tank "A" Valve	<u>565</u>
Tank "B" Valve	<u>491</u>
Lead Tech Initials	<u>SF</u>
Distances Taped	<u>4-9 25'</u>
Give Tapes To MOD	



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-13-2023

Squad Time / Event: 9:00am BJ Oil

USBC Tech: Sheldon Furr

Oil start time 7:05am

Oil end time 7:25am

Lane Machine # # 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank	<u>SF</u>
Turn On Machine / Check Voltage 26.2 Volts	<u>SF</u>
Check Tanks For Full Fluids	<u>SF</u>
Change Planner To Proper Pattern AM/PM	<u>SF</u>
Warm Up Pumps At 50 Mics	<u>SF</u>
Check Combined Cleaner (32 mils)	<u>SF</u>
Replace Tip And Thumb Screw	<u>SF</u>
Take Machine To Lanes / Type In Lanes	<u>SF</u>
Burn 2 Lanes With Machine	<u>SF</u>
Have MOD Verify / Initial Log	<u>TB</u>
Start / Watch Numbers / Valve / Buffer RPM	<u>SF</u>
Walk All Lanes When Finished	<u>SF</u>
Dump / Fill Machines	<u>SF</u>

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned	<u>Back Room</u>
Lanes Oiled	<u>1-6</u>
Average Run Time	<u>793</u>
Tank "A" Valve	<u>565</u>
Tank "B" Valve	<u>491</u>
Lead Tech Initials	<u>SF</u>
Distances Taped	<u>6.3 25'</u>
Give Tapes To MOD	







# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-12-2023

Squad Time / Event: 8:00am BJ O/S

USBC Tech: Sheldon Funn

Oil start time 7:05am

Oil end time 7:20am

Lane Machine # # 5 BJ

# 5 Pract

Drop Machines / Check Cloth and Tank	SF
Turn On Machine / Check Voltage 26.2 Volts	SF
Check Tanks For Full Fluids	SF
Change Planner To Proper Pattern AM/PM	SF
Warm Up Pumps At 50 Mics	SF
Check Combined Cleaner (32 mils)	SF
Replace Tip And Thumb Screw	SF
Take Machine To Lanes / Type In Lanes	SF
Burn 2 Lanes With Machine	SF
Have MOD Verify / Initial Log	13
Start / Watch Numbers / Valve / Buffer RPM	SF
Walk All Lanes When Finished	SF
Dump / Fill Machines	SF

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned	Burn Room
Lanes Oiled	7-12
Average Run Time	792
Tank "A" Valve	566
Tank "B" Valve	491
Lead Tech Initials	SF
Distances Taped	4-11 25'
Give Tapes To MOD	



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-11-23

Squad Time / Event: 0/5 0J 8AM

USBC Tech: Byron

Oil start time 7AM

Oil end time 7:16 AM

Lane Machine # # 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank BC

Turn On Machine / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Change Planner To Proper Pattern AM/PM

Warm Up Pumps At 50 Mics

Check Combined Cleaner (32 mils)

Replace Tip And Thumb Screw

Take Machine To Lanes / Type In Lanes

Burn 2 Lanes With Machine

Have MOD-Verify / Initial Log T3

Start / Watch Numbers / Valve / Buffer RPM

Walk All Lanes When Finished

Dump / Fill Machines

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned Broom

Lanes Oiled 7-12

Average Run Time 790

Tank "A" Valve 567

Tank "B" Valve 494

Lead Tech Initials BC

Distances Taped 25ft 49

Give Tapes To MOD



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-10-23

Squad Time / Event: 8:00am BS 019

USBC Tech: BYRON

Oil start time 7AM

Oil end time 7:30AM

Lane Machine #

# 5 B1

# 6 Pract

Drop Machines / Check Cloth and Tank

BC

Turn On Machine / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Change Planner To Proper Pattern AM/PM

Warm Up Pumps At 50 Mics

Check Combined Cleaner (32 mils)

Replace Tip And Thumb Screw

Take Machine To Lanes / Type In Lanes

Burn 2 Lanes With Machine

Have MOD Verify / Initial Log

T3

Start / Watch Numbers / Valve / Buffer RPM

Walk All Lanes When Finished

Dump / Fill Machines

**RECORD READINGS**

# 5 B1

# 6 Pract

Lanes Burned

Broom

Lanes Oiled

7-12

Average Run Time

789

Tank "A" Valve

33574

Tank "B" Valve

492

Lead Tech Initials

BC

Distances Taped

254 209

Give Tapes To MOD





# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-9-2023

Squad Time / Event: 8:20am BJ o/s

USBC Tech: Sheldon Furr

Oil start time 7:10am

Oil end time 7:30am

Lane Machine # # 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank	SF
Turn On Machine / Check voltage 26.2 Volts	SF
Check Tanks For Full Fluids	SF
Change Planner To Proper Pattern AM/PM	SF
Warm Up Pumps At 50 Mics	SF
Check Combined Cleaner (32 mils)	SF
Replace Tip And Thumb Screw	SF
Take Machine To Lanes / Type In Lanes	SF
Burn 2 Lanes With Machine	SF
Have MOD Verify / Initial Log	T3
Start / Watch Numbers / Valve / Buffer RPM	SF
Walk All Lanes When Finished	SF
Dump / Fill Machines	SF

**RECORD READINGS** # 5 BJ

# 6 Pract

Lanes Burned	Burn Room
Lanes Oiled	1-6
Average Run Time	789
Tank "A" Valve	571
Tank "B" Valve	492
Lead Tech Initials	SF
Distances Taped	1-3 25'
Give Tapes To MOD	





# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6.8.2023

Squad Time / Event: 9:00am BS 015

USBC Tech: Sheldon Fune

Oil start time 7:05am

Oil end time 7:25am

Lane Machine #	# <u>5</u> BJ		# <u>6</u> Pract
Drop Machines / Check Cloth and Tank	SF		
Turn On Machine / Check voltage 26.2 Volts	SF		
Check Tanks For Full Fluids	SF		
Change Planner To Proper Pattern AM/PM	SF		
Warm Up Pumps At 50 Mics	SF		
Check Combined Cleaner (32 mils)	SF		
Replace Tip And Thumb Screw	SF		
Take Machine To Lanes / Type In Lanes	SF		
Burn 2 Lanes With Machine	SF		
Have MOD Verify / Initial Log	T3		
Start / Watch Numbers / Valve / Buffer RPM	SF		
Walk All Lanes When Finished	SF		
Dump / Fill Machines	SF		
<b>RECORD READINGS</b>	# <u>5</u> BJ		# <u>6</u> Pract
Lanes Burned	Burn Room		
Lanes Oiled	7-12		
Average Run Time	788		
Tank "A" Valve	568		
Tank "B" Valve	493		
Lead Tech Initials	SF		
Distances Taped	6-9 25'		
Give Tapes To MOD			



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-7-2023

Squad Time / Event: 8:00am BS OLS

USBC Tech: Sheldon Fera

Oil start time 7:15am

Oil end time 7:30am

Lane Machine # # 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank	SF
Turn On Machine / Check voltage 26.2 Volts	SF
Check Tanks For Full Fluids	SF
Change Planner To Proper Pattern AM/PM	SF
Warm Up Pumps At 50 Mics	SF
Check Combined Cleaner (32 mils)	SF
Replace Tip And Thumb Screw	SF
Take Machine To Lanes / Type In Lanes	SF
Burn 2 Lanes With Machine	SF
Have MOD Verify / Initial Log	LG.
Start / Watch Numbers / Valve / Buffer RPM	SF
Walk All Lanes When Finished	SF
Dump / Fill Machines	SF

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned	Burn Room
Lanes Oiled	7-12
Average Run Time	794
Tank "A" Valve	566
Tank "B" Valve	492
Lead Tech Initials	SF
Distances Taped	1-9 25'
Give Tapes To MOD	



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-6-2023

Squad Time / Event: 8:00 BS o/s

USBC Tech: Sheldon Furr

Oil start time 7:05am

Oil end time 7:30am

Lane Machine # # 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank	<u>SF</u>
Turn On Machine / Check voltage 26.2 Volts	<u>SF</u>
Check Tanks For Full Fluids	<u>SF</u>
Change Planner To Proper Pattern AM/PM	<u>SF</u>
Warm Up Pumps At 50 Mics	<u>SF</u>
Check Combined Cleaner (32 mils)	<u>SF</u>
Replace Tip And Thumb Screw	<u>SF</u>
Take Machine To Lanes / Type In Lanes	<u>SF</u>
Burn 2 Lanes With Machine	<u>SF</u>
Have MOD Verify / Initial Log	<u>SF</u>
Start / Watch Numbers / Valve / Buffer RPM	<u>SF</u>
Walk All Lanes When Finished	<u>SF</u>
Dump / Fill Machines	<u>SF</u>

**RECORD READINGS** # 5 BJ

# 6 Pract

Lanes Burned	<u>Burn Room</u>
Lanes Oiled	<u>1-6</u>
Average Run Time	<u>796</u>
Tank "A" Valve	<u>564</u>
Tank "B" Valve	<u>491</u>
Lead Tech Initials	<u>SF</u>
Distances Taped	<u>1.5 25'</u>
Give Tapes To MOD	



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6.5.2023

Squad Time / Event: 8:00am BS OLS

USBC Tech: Sheldon Funn

Oil start time 7:10am

Oil end time 7:40am

Lane Machine # # 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank	SF
Turn On Machine / Check Voltage 26.2 Volts	SF
Check Tanks For Full Fluids	SF
Change Planner To Proper Pattern AM/PM	SF
Warm Up Pumps At 50 Mics	SF
Check Combined Cleaner (32 mils)	SF
Replace Tip And Thumb Screw	SF
Take Machine To Lanes / Type In Lanes	SF
Burn 2 Lanes With Machine	SF
Have MOD Verify / Initial Log	T3
Start / Watch Numbers / Valve / Buffer RPM	SF
Walk All Lanes When Finished	SF
Dump / Fill Machines	SF

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned	Burn Room
Lanes Oiled	7-12
Average Run Time	786
Tank "A" Valve	567
Tank "B" Valve	492
Lead Tech Initials	L11 25'
Distances Taped	
Give Tapes To MOD	



# 2023 USBC Open Championship Daily Inspection Checklist

Date: 6-4-23

Time: 7Am BJ 11g

USBC Rep: Byron

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BC	<input type="checkbox"/>
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-4-23

Squad Time / Event: 8Am

USBC Tech: Byron

Oil start time 7Am

Oil end time 7:30Am

Lane Machine #	# <u>5</u> BJ		# <u>6</u> Pract
Drop Machines / Check Cloth and Tank	<u>BC</u>		
Turn On Machine / Check Voltage 26.2 Volts			
Check Tanks For Full Fluids			
Change Planner To Proper Pattern AM/PM			
Warm Up Pumps At 50 Mics			
Check Combined Cleaner (32 mils)			
Replace Tip And Thumb Screw			
Take Machine To Lanes / Type In Lanes			
Burn 2 Lanes With Machine			
Have MOD Verify / Initial Log			
Start / Watch Numbers / Valve / Buffer RPM			
Walk All Lanes When Finished			
Dump / Fill Machines			

**RECORD READINGS**

	# <u>5</u> BJ		# <u>6</u> Pract
Lanes Burned	<u>Broom</u>		
Lanes Oiled	<u>1-12</u>		
Average Run Time	<u>798</u>		
Tank "A" Valve	<u>566</u>		
Tank "B" Valve	<u>794 497</u>		
Lead Tech Initials	<u>BC</u>		
Distances Taped	<u>25ft 4N 9</u>		
Give Tapes To MOD			



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-3-23

Squad Time / Event: 8AM

USBC Tech: Byron

Oil start time 7AM

Oil end time 7:30AM

Lane Machine #

# 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank

BC

Turn On Machine / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Change Planner To Proper Pattern AM/PM

Warm Up Pumps At 50 Mics

Check Combined Cleaner (32 mils)

Replace Tip And Thumb Screw

Take Machine To Lanes / Type In Lanes

Burn 2 Lanes With Machine

Have MOD Verify / Initial Log

Start / Watch Numbers / Valve / Buffer RPM

Walk All Lanes When Finished

Dump / Fill Machines

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned

Broom

Lanes Oiled

1-12

Average Run Time

801

Tank "A" Valve

566

Tank "B" Valve

492

Lead Tech Initials

BC

Distances Taped

25FT 2-6

Give Tapes To MOD



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-2-2023

Squad Time / Event: 8:00am. BS 06

USBC Tech: Sheldon Furr

Oil start time 7:10am

Oil end time 7:45am

	# <u>5</u> BJ	# <u>6</u> Pract
Lane Machine #		
Drop Machines / Check Cloth and Tank	<u>SF</u>	
Turn On Machine / Check Voltage 26.2 Volts	<u>SF</u>	
Check Tanks For Full Fluids	<u>SF</u>	
Change Planner To Proper Pattern AM/PM	<u>SF</u>	
Warm Up Pumps At 50 Mics	<u>SF</u>	
Check Combined Cleaner (32 mils)	<u>SF</u>	
Replace Tip And Thumb Screw	<u>SF</u>	
Take Machine To Lanes / Type In Lanes	<u>SF</u>	
Burn 2 Lanes With Machine	<u>SF</u>	
Have MOD Verify / Initial Log	<u>T3</u>	
Start / Watch Numbers / Valve / Buffer RPM	<u>SF</u>	
Walk All Lanes When Finished	<u>SF</u>	
Dump / Fill Machines	<u>SF</u>	
<b>RECORD READINGS</b>	# <u>5</u> BJ	# <u>6</u> Pract
Lanes Burned	<u>Burn Room</u>	
Lanes Oiled	<u>1-12</u>	
Average Run Time	<u>800</u>	
Tank "A" Valve	<u>568</u>	
Tank "B" Valve	<u>491</u>	
Lead Tech Initials	<u>SF</u>	
Distances Taped	<u>6-1 25'</u>	
Give Tapes To MOD		



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-1-2023

Squad Time / Event: 8:00am BS Ols

USBC Tech: Sheldon Funn

Oil start time 7:10

Oil end time 7:35

Lane Machine #	# <u>5</u> BJ	# <u>6</u> Pract	
Drop Machines / Check Cloth and Tank	SF		
Turn On Machine / Check Voltage 26.2 Volts	SF		
Check Tanks For Full Fluids	SF		
Change Planner To Proper Pattern AM/PM	SF		
Warm Up Pumps At 50 Mics	SF		
Check Combined Cleaner (32 mils)	SF		
Replace Tip And Thumb Screw	SF		
Take Machine To Lanes / Type In Lanes	SF		
Burn 2 Lanes With Machine	SF		
Have MOD Verify / Initial Log	T3		
Start / Watch Numbers / Valve / Buffer RPM	SF		
Walk All Lanes When Finished	SF		
Dump / Fill Machines	SF		
<b>RECORD READINGS</b>	# <u>5</u> BJ	# <u>6</u> Pract	
Lanes Burned	Burn Area		
Lanes Oiled	12-7		
Average Run Time	796		
Tank "A" Valve	566		
Tank "B" Valve	493		
Lead Tech Initials	SF		
Distances Taped	6-11 - 25'		
Give Tapes To MOD			