

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-31-2023

Squad Time / Event: 10:00am TEAM Pr.

USBC Tech: Sheldon Fura

Oil start time 9:07

Oil end time 9:35

Lane Machine #	# <u>5</u> BJ		# <u>6</u> Pract
Drop Machines / Check Cloth and Tank			SF
Turn On Machine / Check Voltage 26.2 Volts			SF
Check Tanks For Full Fluids			SF
Change Planner To Proper Pattern AM/PM			SF
Warm Up Pumps At 50 Mics			SF
Check Combined Cleaner (32 mils)			SF
Replace Tip And Thumb Screw			SF
Take Machine To Lanes / Type In Lanes			SF
Burn 2 Lanes With Machine			SF
Have MOD Verify / Initial Log			AKH
Start / Watch Numbers / Valve / Buffer RPM			SF
Walk All Lanes When Finished			SF
Dump / Fill Machines			SF
RECORD READINGS		# <u>6</u> BJ	# <u>6</u> Pract
Lanes Burned			79-88 / 1-10
Lanes Oiled			79-80
Average Run Time			792
Tank "A" Valve			510
Tank "B" Valve			456
Lead Tech Initials			SF
Distances Taped			254101
Give Tapes To MOD			

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5.30.2023

Time: TEAM Pt.

USBC Rep: Skeldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5.30.2023

Squad Time / Event: 0

TEAM PR.

USBC Tech: Sheldon Furr

Oil start time 10:45

Oil end time 10:51

Lane Machine #	# <u>5</u> BJ	# <u>6</u> Pract
Drop Machines / Check Cloth and Tank		SF
Turn On Machine / Check voltage 26.2 Volts		SF
Check Tanks For Full Fluids		SF
Change Planner To Proper Pattern AM/PM		SF
Warm Up Pumps At 50 Mics		SF
Check Combined Cleaner (32 mils)		SF
Replace Tip And Thumb Screw		SF
Take Machine To Lanes / Type In Lanes		SF
Burn 2 Lanes With Machine		SF
Have MOD Verify / Initial Log		T3
Start / Watch Numbers / Valve / Buffer RPM		SF
Walk All Lanes When Finished		SF
Dump / Fill Machines		SF
RECORD READINGS	# <u>5</u> BJ	# <u>6</u> Pract
Lanes Burned	83-84	83-84/5.10
Lanes Oiled		83-88/5.10
Average Run Time		792
Tank "A" Valve		522
Tank "B" Valve		457
Lead Tech Initials		SU
Distances Taped		25ct Ln 84
Give Tapes To MOD		

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5-29-2023

Time: 10:00am TEAM PR.

USBC Rep: Sheldon Funa

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-29-2023

Squad Time / Event: 10:00am TEAM Pr.

USBC Tech: Sheldor Funn

Oil start time 9:06

Oil end time 9:30

Lane Machine #	#	5	BJ	#	6	Pract
Drop Machines / Check Cloth and Tank						SF
Turn On Machine / Check voltage 26.2 Volts						SF
Check Tanks For Full Fluids						SF
Change Planner To Proper Pattern AM/PM						SF
Warm Up Pumps At 50 Mics						SF
Check Combined Cleaner (32 mils)						SF
Replace Tip And Thumb Screw						SF
Take Machine To Lanes / Type In Lanes						SF
Burn 2 Lanes With Machine						SF
Have MOD Verify / Initial Log						ALH
Start / Watch Numbers / Valve / Buffer RPM						SF
Walk All Lanes When Finished						SF
Dump / Fill Machines						SF

RECORD READINGS	#	5	BJ	#	6	Pract
Lanes Burned						88-87
Lanes Oiled						88-79
Average Run Time						793
Tank "A" Valve						520
Tank "B" Valve						458
Lead Tech Initials						KH
Distances Taped						L83+25'
Give Tapes To MOD						

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-28-2023

Squad Time / Event: 10:00am TEAM PR.

USBC Tech: Sheldon Funn

Oil start time _____

Oil end time _____

Lane Machine # # 5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

SF

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

79-80

Lanes Oiled

79-88

Average Run Time

787

Tank "A" Valve

517

Tank "B" Valve

456

Lead Tech Initials

SF

Distances Taped

L83, 25 ft

Give Tapes To MOD

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5-27-2023

Time: 10:00 AM. TEAM Pk.

USBC Rep: Sheldon Funa

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Open Championship Daily Inspection Checklist

Date: 5-26-2023

Time: 10:00Am. TEAM Pr.

USBC Rep: Sheldon Fyne

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Open Championship Daily Inspection Checklist

Date: 5-25-2023

Time: TEAM Pr.

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-25-2023

Squad Time / Event: 10:00 TEAM Pr.

USBC Tech: Sheldon Furr

Oil start time 9:00am

Oil end time 9:30am

Lane Machine #	# <u>5</u> BJ		# <u>6</u> Pract
Drop Machines / Check Cloth and Tank			SF
Turn On Machine / Check Voltage 26.2 Volts			SF
Check Tanks For Full Fluids			SF
Change Planner To Proper Pattern AM/PM			SF
Warm Up Pumps At 50 Mics			SF
Check Combined Cleaner (32 mils)			SK
Replace Tip And Thumb Screw			SF
Take Machine To Lanes / Type In Lanes			SF
Burn 2 Lanes With Machine			SF
Have MOD Verify / Initial Log			LG
Start / Watch Numbers / Valve / Buffer RPM			SF
Walk All Lanes When Finished			SF
Dump / Fill Machines			SF
RECORD READINGS	# <u>5</u> BJ		# <u>6</u> Pract
Lanes Burned			79-80
Lanes Oiled			79-88
Average Run Time			787
Tank "A" Valve			522
Tank "B" Valve			459
Lead Tech Initials			SF
Distances Taped			6-81 25'
Give Tapes To MOD			

2023 USBC Open Championship Daily Inspection Checklist

Date: 5-24-2023

Time: 10:00 AM TEAM Pa.

USBC Rep: Sheldon Funn

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-24-2023

Squad Time / Event: 10⁰⁰ AM TEAM Pr.

USBC Tech: Sheldon Fure

Oil start time 8:45 AM

Oil end time 9:05 AM

Lane Machine # # 5 BJ

6 Pract

Drop Machines / Check Cloth and Tank	
Turn On Machine / Check Voltage 26.2 Volts	
Check Tanks For Full Fluids	
Change Planner To Proper Pattern AM/PM	
Warm Up Pumps At 50 Mics	
Check Combined Cleaner (32 mils)	
Replace Tip And Thumb Screw	
Take Machine To Lanes / Type In Lanes	
Burn 2 Lanes With Machine	
Have MOD Verify / Initial Log	
Start / Watch Numbers / Valve / Buffer RPM	
Walk All Lanes When Finished	
Dump / Fill Machines	

SF
SF
SF
SF
SF
SF
SF
SF
SF
SF
AKH
SF
SF
SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned	
Lanes Oiled	
Average Run Time	
Tank "A" Valve	
Tank "B" Valve	
Lead Tech Initials	
Distances Taped	
Give Tapes To MOD	

87-88
83-88
787
520
458
GA
25 ft
Ln # 87

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5.23.2023

Time: 10:00am. TEAM PR.

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-23-2023

Squad Time / Event: 10:00am TEAM Pr.

USBC Tech: Sheldon Funa

Oil start time 9:15am

Oil end time 9:40am

Lane Machine # # 5 B1

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

260

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 B1

6 Pract

Lanes Burned

79-80

Lanes Oiled

79-82

Average Run Time

785

Tank "A" Valve

524

Tank "B" Valve

460

Lead Tech Initials

SF

Distances Taped

4-81 - 25'

Give Tapes To MOD

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-22-23

Squad Time / Event: 11:30 AM Practice

USBC Tech: KW Men

Oil start time 11:10 AM

Oil end time 11:30 AM

Lane Machine #	# <u>5</u> BJ	# <u>6</u> Pract	
Drop Machines / Check Cloth and Tank		<u>KW</u>	
Turn On Machine / Check Voltage 26.2 Volts		<u>KW</u>	
Check Tanks For Full Fluids		<u>KW</u>	
Change Planner To Proper Pattern AM/PM		<u>KW</u>	
Warm Up Pumps At 50 Mics		<u>KW</u>	
Check Combined Cleaner (32 mils)		<u>KW</u>	
Replace Tip And Thumb Screw		<u>KW</u>	
Take Machine To Lanes / Type In Lanes		<u>KW</u>	
Burn 2 Lanes With Machine		<u>KW</u>	
Have MOD Verify / Initial Log		<u>AKH</u>	
Start / Watch Numbers / Valve / Buffer RPM		<u>KW</u>	
Walk All Lanes When Finished		<u>KW</u>	
Dump / Fill Machines		<u>KW</u>	
RECORD READINGS	# <u>5</u> BJ	# <u>6</u> Pract	
Lanes Burned		<u>88-87</u>	
Lanes Oiled		<u>88-87</u>	
Average Run Time			
Tank "A" Valve			
Tank "B" Valve			
Lead Tech Initials		<u>KW</u>	
Distances Taped		<u>487</u>	<u>, 25ft</u>
Give Tapes To MOD			

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5-21-23

Time: 10:00am TEAM Pr.

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	GR
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	GR
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	GR
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	GR
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	GR
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	GR
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	GR
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	GR
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	GR
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	GR
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	GR
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	GR
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	GR

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-21-23

Squad Time / Event: 10:00am TEAM Pr.

USBC Tech: Gordon

Oil start time 7:50AM

Oil end time 9:00 AM

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

AR

Turn On Machine / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Change Planner To Proper Pattern AM/PM

Warm Up Pumps At 50 Mics

Check Combined Cleaner (32 mils)

Replace Tip And Thumb Screw

Take Machine To Lanes / Type In Lanes

Burn 2 Lanes With Machine

Have MOD Verify / Initial Log

Start / Watch Numbers / Valve / Buffer RPM

Walk All Lanes When Finished

Dump / Fill Machines

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

81-88

Lanes Oiled

88-83

Average Run Time

79.7

Tank "A" Valve

521

Tank "B" Valve

455

Lead Tech Initials

AR

Distances Taped

26 FT

Give Tapes To MOD

Ln# 88

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5-19-23

Time: 10:00 AM TEAM Pa

USBC Rep: <u>Kurt Hosen</u>	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> KM
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> KM
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> KM
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> KM
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> KM
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

NO TEAM Pa.
5:20:23

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-19-23

Squad Time / Event: 10:00 AM Team Prac.

USBC Tech: Kymer H

Oil start time 9:15 AM

Oil end time 9:23 AM

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

KH

Turn On Machine / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Change Planner To Proper Pattern AM/PM

Warm Up Pumps At 50 Mics

Check Combined Cleaner (32 mils)

Replace Tip And Thumb Screw

Take Machine To Lanes / Type In Lanes

Burn 2 Lanes With Machine

Have MOD Verify / Initial Log

KH

Start / Watch Numbers / Valve / Buffer RPM

KH

Walk All Lanes When Finished

Dump / Fill Machines

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

82-81

Lanes Oiled

82-79

Average Run Time

797

Tank "A" Valve

4519

Tank "B" Valve

458

Lead Tech Initials

KH

Distances Taped

L81, 25 FT

Give Tapes To MOD

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5-18-23

Time: 7:13 A.M.

USBC Rep: Kymer Hansen

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-18-23

Squad Time / Event: 10:00 A.M.

USBC Tech: Kepler Hansen

Oil start time 9:10

Oil end time 9:23

Lane Machine #

5 B)

6 Pract

Drop Machines / Check Cloth and Tank

KH

Turn On Machine / Check Voltage 26.2 Volts

KH

Check Tanks For Full Fluids

KH

Change Planner To Proper Pattern AM/PM

KH

Warm Up Pumps At 50 Mics

KH

Check Combined Cleaner (32 mils)

KH

Replace Tip And Thumb Screw

KH

Take Machine To Lanes / Type In Lanes

KH

Burn 2 Lanes With Machine

KH

Have MOD Verify / Initial Log

AKH

Start / Watch Numbers / Valve / Buffer RPM

BH

Walk All Lanes When Finished

KH

Dump / Fill Machines

KH

RECORD READINGS

5 B)

6 Pract

Lanes Burned

L88-87

Lanes Oiled

L88-83

Average Run Time

789

Tank "A" Valve

517

Tank "B" Valve

452

Lead Tech Initials

KH

Distances Taped

L83, 25 ft

Give Tapes To MOD

2023 USBC Open Championship Daily Inspection Checklist

Date: 5-17-2023

Time: 10:00am TEAM PL.

USBC Rep: Sheldon Fann

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-17-2023

Squad Time / Event: 10:00am Team Pr.

USBC Tech: Sheldon Furr

Oil start time 9:15am

Oil end time 9:35am

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

LG.

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

~~82~~ 82-81

Lanes Oiled

82-79

Average Run Time

794

Tank "A" Valve

520

Tank "B" Valve

472

Lead Tech Initials

SF

Distances Taped

4-79 25'

Give Tapes To MOD

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5-16-2023

Time: 10:00am. TEAM PR.

USBC Rep: Sheldon Funa

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-16-2023

Squad Time / Event: 10:00am TENMP.

USBC Tech: Sheldon Foss

Oil start time 9:10am

Oil end time 9:35am

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

LG:

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

88-87

Lanes Oiled

83-80

Average Run Time

786

Tank "A" Valve

516

Tank "B" Valve

458

Lead Tech Initials

SF

Distances Taped

Give Tapes To MOD

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5-15-2023

Time: 8:30am. TEAM P.

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-15-2023

Squad Time / Event: 8:30am TEAM Pr.

USBC Tech: Sheldon Funa

Oil start time 8:00am.

Oil end time 8:20am

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

13

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

88-87

Lanes Oiled

88-85

Average Run Time

800

Tank "A" Valve

519

Tank "B" Valve

454

Lead Tech Initials

SF

Distances Taped

L-87 25'

Give Tapes To MOD

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5-14-2023

Time: TEAM Pr.

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Open Championship Daily Inspection Checklist

Date: 5-13-2023

Time: 10:00am TEAM A.

USBC Rep: Sheldon Fua

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-13-23

Squad Time / Event: 10:00 A.M. Practice

USBC Tech: K ymer H.

Oil start time 8:55 AM

Oil end time 9:15 AM

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

✓

Turn On Machine / Check Voltage 26.2 Volts

↓

Check Tanks For Full Fluids

↓

Change Planner To Proper Pattern AM/PM

↓

Warm Up Pumps At 50 Mics

↓

Check Combined Cleaner (32 mils)

↓

Replace Tip And Thumb Screw

↓

Take Machine To Lanes / Type In Lanes

↓

Burn 2 Lanes With Machine

✓

Have MOD Verify / Initial Log

LG.

Start / Watch Numbers / Valve / Buffer RPM

↓

Walk All Lanes When Finished

↓

Dump / Fill Machines

↓

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

L88-87

Lanes Oiled

L88-83

Average Run Time

794

Tank "A" Valve

524

Tank "B" Valve

458

Lead Tech Initials

KH

Distances Taped

L87 25ft

Give Tapes To MOD

2023 USBC Open Championship Daily Inspection Checklist

Date: 5.12.2023

Time: 10:00 am. TEAM P2.

USBC Rep: Sheldon Fuan

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

5/12/23

Squad Time / Event:

10:00 AM Team Prac.

USBC Tech:

Kyner M

Oil start time

8:58 AM

Oil end time

9:10

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

Turn On Machine / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Change Planner To Proper Pattern AM/PM

Warm Up Pumps At 50 Mics

Check Combined Cleaner (32 mils)

Replace Tip And Thumb Screw

Take Machine To Lanes / Type In Lanes

Burn 2 Lanes With Machine

Have MOD Verify / Initial Log

Start / Watch Numbers / Valve / Buffer RPM

Walk All Lanes When Finished

Dump / Fill Machines

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

L82-81

Lanes Oiled

L82-79

Average Run Time

797

Tank "A" Valve

521

Tank "B" Valve

457

Lead Tech Initials

Distances Taped

L81

25 FT

Give Tapes To MOD

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5-11-2023

Time: 10:00 AM TEAM P.

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-11-2023

Squad Time / Event: 10:00am. TEAM Pr.

USBC Tech: Sheldon Fynn

Oil start time 9:00am

Oil end time 9:30am

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

T3

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

79-80

Lanes Oiled

79-88

Average Run Time

800

Tank "A" Valve

517

Tank "B" Valve

460

Lead Tech Initials

SF

Distances Taped

4'83 25'

Give Tapes To MOD

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5-10-2023

Time: 10:00 AM. TEAM PR.

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-10-2023

Squad Time / Event: 10:00am. TEAM Pr.

USBC Tech: Sheldon Furr

Oil start time 9:30

Oil end time 10:00

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

LG.

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

88-87

Lanes Oiled

88-83

Average Run Time

797

Tank "A" Valve

518

Tank "B" Valve

494

Lead Tech Initials

SF

Distances Taped

L- 88 25'

Give Tapes To MOD

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5.9.2023

Time: 8:30am. TEAM Pk.

USBC Rep: Sheldon Funn

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-9-2023

Squad Time / Event: 8:30am TEAM Pr.

USBC Tech: Sheldon Funa

Oil start time 8:00am

Oil end time 8:15am

	# <u>5</u> BJ	# <u>6</u> Pract
Lane Machine #		
Drop Machines / Check Cloth and Tank		SF
Turn On Machine / Check Voltage 26.2 Volts		SF
Check Tanks For Full Fluids		SF
Change Planner To Proper Pattern AM/PM		SF
Warm Up Pumps At 50 Mics		SF
Check Combined Cleaner (32 mils)		SF
Replace Tip And Thumb Screw		SF
Take Machine To Lanes / Type In Lanes		SF
Burn 2 Lanes With Machine		SF
Have MOD Verify / Initial Log		AKH
Start / Watch Numbers / Valve / Buffer RPM		SF
Walk All Lanes When Finished		SF
Dump / Fill Machines		SF
RECORD READINGS	# <u>5</u> BJ	# <u>6</u> Pract
Lanes Burned		79-80
Lanes Oiled		79-82
Average Run Time		798
Tank "A" Valve		520
Tank "B" Valve		455
Lead Tech Initials		SF
Distances Taped		L-79 25'
Give Tapes To MOD		

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5-8-2023

Time: 10:00am TEAM PR.

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-8-2023

Squad Time / Event: 10:00am TEAM Pr.

USBC Tech: Sheldon Furr

Oil start time 9:00AM

Oil end time 9:17AM

	# <u>5</u> BJ		# <u>6</u> Pract
Lane Machine #			
Drop Machines / Check Cloth and Tank			SF
Turn On Machine / Check Voltage 26.2 Volts			SF
Check Tanks For Full Fluids			SF
Change Planner To Proper Pattern AM/PM			SF
Warm Up Pumps At 50 Mics			SF
Check Combined Cleaner (32 mils)			SF
Replace Tip And Thumb Screw			SF
Take Machine To Lanes / Type In Lanes			SF
Burn 2 Lanes With Machine			SF
Have MOD Verify / Initial Log			AKA
Start / Watch Numbers / Valve / Buffer RPM			SF
Walk All Lanes When Finished			SF
Dump / Fill Machines			SF
RECORD READINGS	# <u>5</u> BJ		# <u>6</u> Pract
Lanes Burned	87-88		88-87
Lanes Oiled	83-88		88-83
Average Run Time	796		796
Tank "A" Valve	516		516
Tank "B" Valve	461		461
Lead Tech Initials	B		SF
Distances Taped	25		L-87 25
Give Tapes To MOD			

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5-7-2023

Time: 10:00am TEAM Pt.

USBC Rep: Sheldon Funa

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-7-2023

Squad Time / Event: 10:00am. TEAM Pt.

USBC Tech: Sheldon Funn

Oil start time 9:00am

Oil end time 9:30am

	# <u>5</u> BJ		# <u>6</u> Pract
Lane Machine #			
Drop Machines / Check Cloth and Tank			SF
Turn On Machine / Check Voltage 26.2 Volts			SF
Check Tanks For Full Fluids			SF
Change Planner To Proper Pattern AM/PM			SF
Warm Up Pumps At 50 Mics			SF
Check Combined Cleaner (32 mils)			SF
Replace Tip And Thumb Screw			SF
Take Machine To Lanes / Type In Lanes			SF
Burn 2 Lanes With Machine			SF
Have MOD Verify / Initial Log			SLL
Start / Watch Numbers / Valve / Buffer RPM			SF
Walk All Lanes When Finished			SF
Dump / Fill Machines			SF
RECORD READINGS	# <u>5</u> BJ		# <u>6</u> Pract
Lanes Burned			79-80
Lanes Oiled			79-88
Average Run Time			795
Tank "A" Valve			520
Tank "B" Valve			460
Lead Tech Initials			SF
Distances Taped			6-81 25'
Give Tapes To MOD			

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-6-23

Squad Time / Event: 8AM ^{BS} 1000 ^{TEAM}

USBC Tech: TPAD

Oil start time 7:30AM

Oil end time 7:50AM

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

B

B

Turn On Machine / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Change Planner To Proper Pattern AM/PM

Warm Up Pumps At 50 Mics

Check Combined Cleaner (32 mils)

Replace Tip And Thumb Screw

Take Machine To Lanes / Type In Lanes

Burn 2 Lanes With Machine

Have MOD Verify / Initial Log

B

B

Start / Watch Numbers / Valve / Buffer RPM

Walk All Lanes When Finished

Dump / Fill Machines

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

BR

77-80

Lanes Oiled

1-12

79-88

Average Run Time

780

787

Tank "A" Valve

570

560

Tank "B" Valve

495

460

Lead Tech Initials

B

B

Distances Taped

25

4-BS 25

Give Tapes To MOD

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5.5.2023

Time: 10:00 AM TEAM PR.

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

5-5-2023

Squad Time / Event:

10:00am TEAM Pr.

USBC Tech:

Sheldon Funn

Oil start time

9:00

Oil end time

9:20

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

AKH

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

L88-87

Lanes Oiled

L88-83

Average Run Time

791

Tank "A" Valve

517

Tank "B" Valve

458

Lead Tech Initials

Distances Taped

L87

25ft

Give Tapes To MOD

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5.4.2023

Time: 10:00am, TEAM PR

USBC Rep: Sheldon Fern

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5.4.2023
 USBC Tech: Sheldon Furr

Squad Time / Event: 10:00 AM TEAM PR.

Oil start time 9:00 AM Oil end time 9:17 AM

	# <u>5</u> BJ		# <u>6</u> Pract
Lane Machine #			
Drop Machines / Check Cloth and Tank			SF
Turn On Machine / Check Voltage 26.2 Volts			SF
Check Tanks For Full Fluids			SF
Change Planner To Proper Pattern AM/PM			SF
Warm Up Pumps At 50 Mics			SF
Check Combined Cleaner (32 mils)			SF
Replace Tip And Thumb Screw			SF
Take Machine To Lanes / Type In Lanes			SF
Burn 2 Lanes With Machine			SF
Have MOD Verify / Initial Log			AKH
Start / Watch Numbers / Valve / Buffer RPM			SF
Walk All Lanes When Finished			SF
Dump / Fill Machines			SF
RECORD READINGS	# <u>5</u> BJ		# <u>6</u> Pract
Lanes Burned			L 79-80
Lanes Oiled			L 79-88
Average Run Time			797
Tank "A" Valve			514
Tank "B" Valve			457
Lead Tech Initials			SF
Distances Taped			L-87 25'
Give Tapes To MOD			

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5.3.2023

Time: 10:00am. TEAM PR.

USBC Rep: Sheldon Fusa

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-3-2023

Squad Time / Event: 10:00am TENN Pr.

USBC Tech: Sheldon Funn

Oil start time 9:10am

Oil end time 9:35am

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TJ

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

B3-B4

Lanes Oiled

B3-B8

Average Run Time

792

Tank "A" Valve

519

Tank "B" Valve

461

Lead Tech Initials

L-B5 25'

Distances Taped

SF

Give Tapes To MOD

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 5-2-2023

Time: 10:00am. TEAM PR.

USBC Rep: Shelley Fura

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5.2.2023

Squad Time / Event: 10:00am BJS Ols

USBC Tech: Sheldon Fenn

Oil start time 9:00am

Oil end time 9:30am

	# <u>5</u> BJ		# <u>6</u> Pract
Lane Machine #			
Drop Machines / Check Cloth and Tank			SF
Turn On Machine / Check Voltage 26.2 Volts			SF
Check Tanks For Full Fluids			SF
Change Planner To Proper Pattern AM/PM			SF
Warm Up Pumps At 50 Mics			SF
Check Combined Cleaner (32 mils)			SF
Replace Tip And Thumb Screw			SF
Take Machine To Lanes / Type In Lanes			SF
Burn 2 Lanes With Machine			SF
Have MOD Verify / Initial Log			LG.
Start / Watch Numbers / Valve / Buffer RPM			SF
Walk All Lanes When Finished			SF
Dump / Fill Machines			SF
RECORD READINGS	# <u>5</u> BJ		# <u>6</u> Pract
Lanes Burned			79.80
Lanes Oiled			79.88
Average Run Time			791
Tank "A" Valve			521
Tank "B" Valve			459
Lead Tech Initials			SF
Distances Taped			L.79 25'
Give Tapes To MOD			

2023 USBC Open Championship Daily Inspection Checklist

Date: 5-1-2023

Time: 10:00am TEAM PK.

USBC Rep: Sheldon Funn

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

5-1-2023

Squad Time / Event: 10:00am TEAM Pr.

USBC Tech:

Sheldon Furr

Oil start time

9:00am

Oil end time

9:15am

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

AKH

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

L82-81

~~82-79~~

Lanes Oiled

L82-79

Average Run Time

797

Tank "A" Valve

522

Tank "B" Valve

456

Lead Tech Initials

Distances Taped

L81

25'

Give Tapes To MOD