



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-30-23  
 USBC Tech: SS

Squad Time / Event: 10 AM Practice

Oil start time 9:15 Oil end time 9:35

Lane Machine # # 5 BJ # 6 Pract

- Drop Machines / Check Cloth and Tank
- Turn On Machine / Check Voltage 26.2 Volts
- Check Tanks For Full Fluids
- Change Planner To Proper Pattern AM/PM
- Warm Up Pumps At 50 Mics
- Check Combined Cleaner (32 mils)
- Replace Tip And Thumb Screw
- Take Machine To Lanes / Type In Lanes
- Burn 2 Lanes With Machine
- Have MOD Verify / Initial Log
- Start / Watch Numbers / Valve / Buffer RPM
- Walk All Lanes When Finished
- Dump / Fill Machines

**RECORD READINGS**

# 5 BJ # 6 Pract

- Lanes Burned 81 82
- Lanes Oiled 83
- Average Run Time 790
- Tank "A" Valve 465
- Tank "B" Valve 520
- Lead Tech Initials SE
- Distances Taped L-83 25"
- Give Tapes To MOD

~~83 88~~



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-29-23

Squad Time / Event: 10am KP

USBC Tech: Jonathan

Oil start time 9:10

Oil end time 9:28

	# <u>5</u> BJ	# <u>6</u> Pract
Drop Machines / Check Cloth and Tank		JW
Turn On Machine / Check Voltage 26.2 Volts		
Check Tanks For Full Fluids		
Change Planner To Proper Pattern AM/PM		
Warm Up Pumps At 50 Mics		
Check Combined Cleaner (32 mils)		
Replace Tip And Thumb Screw		
Take Machine To Lanes / Type In Lanes		
Burn 2 Lanes With Machine		
Have MOD Verify / Initial Log		
Start / Watch Numbers / Valve / Buffer RPM		
Walk All Lanes When Finished		
Dump / Fill Machines		

	# <u>5</u> BJ	# <u>6</u> Pract
<b>RECORD READINGS</b>		
Lanes Burned		82-81
Lanes Oiled		82-79
Average Run Time		790
Tank "A" Valve		514
Tank "B" Valve		459
Lead Tech Initials		JW
Distances Taped		25ft. 679
Give Tapes To MOD		



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-28-23

Squad Time / Event: 10AM KP

USBC Tech: Jonathan

Oil start time 9:00

Oil end time 9:18

Lane Machine #

# 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank

JW

Turn On Machine / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Change Planner To Proper Pattern AM/PM

Warm Up Pumps At 50 Mics

Check Combined Cleaner (32 mils)

Replace Tip And Thumb Screw

Take Machine To Lanes / Type In Lanes

Burn 2 Lanes With Machine

Have MOD Verify / Initial Log

73

Start / Watch Numbers / Valve / Buffer RPM

Walk All Lanes When Finished

Dump / Fill Machines

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned

88-87

Lanes Oiled

88-83

Average Run Time

792

Tank "A" Valve

526

Tank "B" Valve

456

Lead Tech Initials

JW

Distances Taped

25ft 687

Give Tapes To MOD

## 2023 USBC Open CHampionship Daily Inspection Checklist

Date: 4-27-2023

Time: 10:00am TEAM Pt.

USBC Rep: Sheldor Fura

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	S/K
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-27-2023

Squad Time / Event: 10:00am TEAM P2.

USBC Tech: Sheldon Funn

Oil start time 9:05

Oil end time 9:25

Lane Machine #

# 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

LG.

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned

82-81

Lanes Oiled

82-79

Average Run Time

790

Tank "A" Valve

519

Tank "B" Valve

458

Lead Tech Initials

SF

Distances Taped

L-81 25'

Give Tapes To MOD





# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-26-23 Squad Time / Event: 10am KP  
 USBC Tech: Jonathan Oil start time 9:05 Oil end time 9:23

Lane Machine #	# <u>5</u> BJ	# <u>6</u> Pract
Drop Machines / Check Cloth and Tank		JW
Turn On Machine / Check Voltage 26.2 Volts		
Check Tanks For Full Fluids		
Change Planner To Proper Pattern AM/PM		
Warm Up Pumps At 50 Mics		
Check Combined Cleaner (32 mils)		
Replace Tip And Thumb Screw		
Take Machine To Lanes / Type In Lanes		
Burn 2 Lanes With Machine		
Have MOD Verify / Initial Log		LG ☺
Start / Watch Numbers / Valve / Buffer RPM		
Walk All Lanes When Finished		
Dump / Fill Machines		

RECORD READINGS	# <u>5</u> BJ	# <u>6</u> Pract
Lanes Burned		79-80
Lanes Oiled		79-82
Average Run Time		792
Tank "A" Valve		568
Tank "B" Valve		492
Lead Tech Initials		JW
Distances Taped		25 L. 79
Give Tapes To MOD		

## 2023 USBC Open CHampionship Daily Inspection Checklist

Date: 4.25.2023

Time: 10:00 AM TEAM PR.

USBC Rep: Sheldon Funa

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

4-25-2023

Squad Time / Event:

10:00am TEAM Pr.

USBC Tech:

Sheldon Furr

Oil start time

9:05am

Oil end time

9:25am

Lane Machine #

# 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

LG

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned

88-87

Lanes Oiled

88-83

Average Run Time

788

Tank "A" Valve

520

Tank "B" Valve

457

Lead Tech Initials

SF

Distances Taped

6-85 25'

Give Tapes To MOD

## 2023 USBC Open Championship Daily Inspection Checklist

Date: 4/24/23

Time: 8:00 A.M. Prac.

USBC Rep: Byner Hansen

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	-
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	KH

# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4/24/23 Squad Time / Event: 8:00 AM PRAC

USBC Tech: Kyner Hansen Oil start time 7:05 Oil end time 7:20

	# <u>5</u> BJ	# <u>6</u> Pract
Drop Machines / Check Cloth and Tank		KH
Turn On Machine / Check Voltage 26.2 Volts		KH
Check Tanks For Full Fluids		KH
Change Planner To Proper Pattern AM/PM		KH
Warm Up Pumps At 50 Mics		KH
Check Combined Cleaner (32 mils)		KH
Replace Tip And Thumb Screw		KH
Take Machine To Lanes / Type In Lanes		KH
Burn 2 Lanes With Machine		KH
Have MOD Verify / Initial Log		etc
Start / Watch Numbers / Valve / Buffer RPM		KH
Walk All Lanes When Finished		KH
Dump / Fill Machines		KH

	# <u>5</u> BJ	# <u>6</u> Pract
<b>RECORD READINGS</b>		
Lanes Burned		82-81
Lanes Oiled		82-79
Average Run Time		795
Tank "A" Valve		524
Tank "B" Valve		463
Lead Tech Initials		SF
Distances Taped		L-81 25ft
Give Tapes To MOD		



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-23-23 Squad Time / Event: 8 Am practice

USBC Tech: [Signature] Oil start time 6:50 Oil end time 7:10

	# <u>5</u> BJ	# <u>6</u> Pract
Drop Machines / Check Cloth and Tank		✓
Turn On Machine / Check Voltage 26.2 Volts		✓
Check Tanks For Full Fluids		✓
Change Planner To Proper Pattern AM/PM		✓
Warm Up Pumps At 50 Mics		✓
Check Combined Cleaner (32 mils)		✓
Replace Tip And Thumb Screw		✓
Take Machine To Lanes / Type In Lanes		✓
Burn 2 Lanes With Machine		✓
Have MOD Verify / Initial Log		<u>[Signature]</u>
Start / Watch Numbers / Valve / Buffer RPM		<u>RM</u>
Walk All Lanes When Finished		<u>RM</u>
Dump / Fill Machines		✓

**RECORD READINGS**

	# <u>5</u> BJ	# <u>6</u> Pract
Lanes Burned		88      87
Lanes Oiled		88      83
Average Run Time		790
Tank "A" Valve		519
Tank "B" Valve		462
Lead Tech Initials		<u>[Signature]</u>
Distances Taped		<u>25'</u>
Give Tapes To MOD		✓





# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-22-23

Squad Time / Event: 10Am KP

USBC Tech: Jonathan

Oil start time 9:17Am

Oil end time 9:44Am

Lane Machine #	# <u>5</u> BJ		# <u>6</u> Pract
Drop Machines / Check Cloth and Tank			<u>JW</u>
Turn On Machine / Check Voltage 26.2 Volts			
Check Tanks For Full Fluids			
Change Planner To Proper Pattern AM/PM			
Warm Up Pumps At 50 Mics			
Check Combined Cleaner (32 mils)			
Replace Tip And Thumb Screw			
Take Machine To Lanes / Type In Lanes			
Burn 2 Lanes With Machine			
Have MOD Verify / Initial Log			<u>T3</u>
Start / Watch Numbers / Valve / Buffer RPM			
Walk All Lanes When Finished			
Dump / Fill Machines			

RECORD READINGS	# <u>5</u> BJ		# <u>6</u> Pract
Lanes Burned			<u>87-88</u>
Lanes Oiled			<u>88-79</u>
Average Run Time			<u>789</u>
Tank "A" Valve			<u>522</u>
Tank "B" Valve			<u>458</u>
Lead Tech Initials			<u>JW</u>
Distances Taped			<u>25FT. L<sup>83</sup></u>
Give Tapes To MOD			



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-21-23  
 USBC Tech: Jonathon

Squad Time / Event: 1pm KP

Oil start time 1:00 pm Oil end time 1:18 pm

Lane Machine #	# <u>5</u> BJ	# <u>5</u> Pract
Drop Machines / Check Cloth and Tank		<u>JW</u>
Turn On Machine / Check Voltage 26.2 Volts		
Check Tanks For Full Fluids		
Change Planner To Proper Pattern AM/PM		
Warm Up Pumps At 50 Mics		
Check Combined Cleaner (32 mils)		
Replace Tip And Thumb Screw		
Take Machine To Lanes / Type In Lanes		
Burn 2 Lanes With Machine		
Have MOD Verify / Initial Log		<u>[Signature]</u>
Start / Watch Numbers / Valve / Buffer RPM		
Walk All Lanes When Finished		
Dump / Fill Machines		

RECORD READINGS	# <u>5</u> BJ	# <u>5</u> Pract
Lanes Burned		<u>79-80</u>
Lanes Oiled		<u>79-82</u>
Average Run Time		<u>786</u>
Tank "A" Valve		<u>521</u>
Tank "B" Valve		<u>484</u>
Lead Tech Initials		<u>JW</u>
Distances Taped		<u>25ft. L. 79</u>
Give Tapes To MOD		



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

4/20/2023

Squad Time / Event: 10:00 AM Team PR.

USBC Tech:

Kyner Hansen

Oil start time

9:12 AM

Oil end time

9:25 AM

Lane Machine #

# 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank

KM

Turn On Machine / Check Voltage 26.2 Volts

KM

Check Tanks For Full Fluids

KM

Change Planner To Proper Pattern AM/PM

KM

Warm Up Pumps At 50 Mics

KM

Check Combined Cleaner (32 mils)

KM

Replace Tip And Thumb Screw

KM

Take Machine To Lanes / Type In Lanes

KM

Burn 2 Lanes With Machine

L 88-87

KM

Have MOD Verify / Initial Log

AKH

Start / Watch Numbers / Valve / Buffer RPM

KM

Walk All Lanes When Finished

KM

Dump / Fill Machines

KM

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned

L 88-87

Lanes Oiled

L 88-83

Average Run Time

794

Tank "A" Valve

522

Tank "B" Valve

450

Lead Tech Initials

KM SF

Distances Taped

L 83

25 ft'

Give Tapes To MOD



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-19-23 Squad Time / Event: 10 Am KP  
 USBC Tech: Jonathan Oil start time 9:18 Oil end time 9:45

Lane Machine #	# <u>5</u> BJ	# <u>6</u> Pract
Drop Machines / Check Cloth and Tank		JW
Turn On Machine / Check Voltage 26.2 Volts		
Check Tanks For Full Fluids		
Change Planner To Proper Pattern AM/PM		
Warm Up Pumps At 50 Mics		
Check Combined Cleaner (32 mils)		
Replace Tip And Thumb Screw		
Take Machine To Lanes / Type In Lanes		
Burn 2 Lanes With Machine		
Have MOD Verify / Initial Log		LG.
Start / Watch Numbers / Valve / Buffer RPM		
Walk All Lanes When Finished		
Dump / Fill Machines		
<b>RECORD READINGS</b>	# <u>5</u> BJ	# <u>6</u> Pract
Lanes Burned		1-2
Lanes Oiled		1-10
Average Run Time		790
Tank "A" Valve		519
Tank "B" Valve		469
Lead Tech Initials		JW
Distances Taped		683 25FT
Give Tapes To MOD		





# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-18-23

Squad Time / Event: 10AM KP

USBC Tech: Jonathan

Oil start time 9:04

Oil end time 9:14

Lane Machine #	# <u>5</u> BJ	# <u>6</u> Pract
Drop Machines / Check Cloth and Tank		JW
Turn On Machine / Check Voltage 26.2 Volts		
Check Tanks For Full Fluids		
Change Planner To Proper Pattern AM/PM		
Warm Up Pumps At 50 Mics		
Check Combined Cleaner (32 mils)		
Replace Tip And Thumb Screw		
Take Machine To Lanes / Type In Lanes		
Burn 2 Lanes With Machine		
Have MOD Verify / Initial Log		L6
Start / Watch Numbers / Valve / Buffer RPM		
Walk All Lanes When Finished		
Dump / Fill Machines		

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned		79-80
Lanes Oiled		79-82
Average Run Time		791
Tank "A" Valve		519
Tank "B" Valve		454
Lead Tech Initials		JW
Distances Taped		L-81 25 FT.
Give Tapes To MOD		

## 2023 USBC Open Championship Daily Inspection Checklist

Date: 4-17-2023

Time: 10:00am TEAM PR

USBC Rep: Sheldone Funn

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-17-2023

Squad Time / Event: 10:00 TEAM Pr.

USBC Tech: Sheldon Fenn

Oil start time 9:05 AM

Oil end time 9:25 AM

Lane Machine #

# 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank

KH

Turn On Machine / Check Voltage 26.2 Volts

KH

Check Tanks For Full Fluids

KH

Change Planner To Proper Pattern AM/PM

KH

Warm Up Pumps At 50 Mics

KH

Check Combined Cleaner (32 mils)

KH

Replace Tip And Thumb Screw

KH

Take Machine To Lanes / Type In Lanes

KH

Burn 2 Lanes With Machine

KH

Have MOD Verify / Initial Log

AKH

Start / Watch Numbers / Valve / Buffer RPM

KH

Walk All Lanes When Finished

KH

Dump / Fill Machines

KH

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned

88-87

Lanes Oiled

88-83

Average Run Time

791

Tank "A" Valve

520

Tank "B" Valve

458

Lead Tech Initials

Distances Taped

L87 25 ft

Give Tapes To MOD



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-16-2023 Squad Time / Event: MORNING TEAM Pr.

USBC Tech: Jeff Jensen Oil start time 7:45 am Oil end time 8:00 am

	# <u>5</u> BJ	# <u>6</u> Pract
Lane Machine #		
Drop Machines / Check Cloth and Tank		✓
Turn On Machine / Check Voltage 26.2 Volts		✓
Check Tanks For Full Fluids		✓
Change Planner To Proper Pattern AM/PM		✓
Warm Up Pumps At 50 Mics		✓
Check Combined Cleaner (32 mils)		✓
Replace Tip And Thumb Screw		✓
Take Machine To Lanes / Type In Lanes		✓
Burn 2 Lanes With Machine		
Have MOD Verify / Initial Log	T3	T3
Start / Watch Numbers / Valve / Buffer RPM		
Walk All Lanes When Finished		✓
Dump / Fill Machines		
<b>RECORD READINGS</b>	# <u>5</u> BJ	# <u>6</u> Pract
Lanes Burned		85 86
Lanes Oiled		85 - 88
Average Run Time		290
Tank "A" Valve		525
Tank "B" Valve		460
Lead Tech Initials		JJ
Distances Taped		1.87 25"
Give Tapes To MOD		✓



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-15-23

Squad Time / Event: 10am KP T's

USBC Tech: Jonathan

Oil start time 9:00am

Oil end time 9:27am

Lane Machine #

# 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank

JW

Turn On Machine / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Change Planner To Proper Pattern AM/PM

Warm Up Pumps At 50 Mics

Check Combined Cleaner (32 mils)

Replace Tip And Thumb Screw

Take Machine To Lanes / Type In Lanes

Burn 2 Lanes With Machine

Have MOD Verify / Initial Log

Start / Watch Numbers / Valve / Buffer RPM

Walk All Lanes When Finished

Dump / Fill Machines

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned

88-87

Lanes Oiled

88-79

Average Run Time

790

Tank "A" Valve

524

Tank "B" Valve

460

Lead Tech Initials

JW

Distances Taped

25PP

Give Tapes To MOD

L-83





# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

4-14-23

Squad Time / Event:

10am

USBC Tech:

Jonathan

Oil start time

9:00am

Oil end time

9:27am

Lane Machine #

# 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank

JW

Turn On Machine / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Change Planner To Proper Pattern AM/PM

Warm Up Pumps At 50 Mics

Check Combined Cleaner (32 mils)

Replace Tip And Thumb Screw

Take Machine To Lanes / Type In Lanes

Burn 2 Lanes With Machine

Have MOD Verify / Initial Log

Start / Watch Numbers / Valve / Buffer RPM

Walk All Lanes When Finished

Dump / Fill Machines

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned

1-2

Lanes Oiled

1-10 (79-88)

Average Run Time

794

Tank "A" Valve

514

Tank "B" Valve

460

Lead Tech Initials

JW

Distances Taped

L-87-25'

Give Tapes To MOD



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-13-2023

Squad Time / Event: 10 AM

USBC Tech: Jeff Jensen

Oil start time 9:00 AM

Oil end time 9:18

	# <u>5</u> BJ		# <u>5</u> Pract	
Lane Machine #				
Drop Machines / Check Cloth and Tank			✓	JJ
Turn On Machine / Check Voltage 26.2 Volts			✓	JJ
Check Tanks For Full Fluids			✓	JJ
Change Planner To Proper Pattern AM/PM			✓	JJ
Warm Up Pumps At 50 Mics			✓	JJ
Check Combined Cleaner (32 mils)			✓	JJ
Replace Tip And Thumb Screw			✓	JJ
Take Machine To Lanes / Type In Lanes			✓	JJ
Burn 2 Lanes With Machine			✓	JJ
Have MOD Verify / Initial Log			✓	AKLH
Start / Watch Numbers / Valve / Buffer RPM			✓	JJ
Walk All Lanes When Finished			✓	JJ
Dump / Fill Machines			✓	JJ
<b>RECORD READINGS</b>	<b># <u>5</u> BJ</b>		<b># <u>5</u> Pract</b>	
Lanes Burned			<del>83</del>	<del>83</del> 84
Lanes Oiled			<del>84</del>	<del>84</del> 79
Average Run Time			790	
Tank "A" Valve			520	
Tank "B" Valve			460	
Lead Tech Initials			JJ	
Distances Taped			25"	79
Give Tapes To MOD			✓	JK



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4.12.2023

Squad Time / Event: 11:30am TEAM PR.

USBC Tech: Sheldon Fene

Oil start time 10:45am

Oil end time 11:05am

Lane Machine #

# 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

AKH

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned

79-80

Lanes Oiled

79-82

Average Run Time

786

Tank "A" Valve

521

Tank "B" Valve

459

Lead Tech Initials

SF

Distances Taped

4-81 25'

Give Tapes To MOD

**2023 USBC Open Championship Daily Inspection Checklist**

Date: 4.11.2023

Time: TEAM Pr.

USBC Rep: Sheldon Fuja

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4.11.2023

Squad Time / Event: 11:30am TEAM Pr.

USBC Tech: Sheldon Funn

Oil start time 10:45am

Oil end time 11:00am

Lane Machine #

# 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

LG

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned

79-80

Lanes Oiled

79-82

Average Run Time

781

Tank "A" Valve

520

Tank "B" Valve

457

Lead Tech Initials

SF

Distances Taped

L-81 25

Give Tapes To MOD





# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-10-2023

Squad Time / Event: 10:00am TEAM Pr.

USBC Tech: Sheldon Fura

Oil start time 9:30am

Oil end time 9:45am

Lane Machine #

# 5 BJ

# 5 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

AKH

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

**RECORD READINGS**

# 5 BJ

# 5 Pract

Lanes Burned

79-80

Lanes Oiled

79-82

Average Run Time

795

Tank "A" Valve

520

Tank "B" Valve

461

Lead Tech Initials

SF

Distances Taped

481 25'

Give Tapes To MOD

**2023 USBC Open Championship Daily Inspection Checklist**

Date: 4-9-2023

Time: 10:00am TEAM Pt.

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4.9.2023

Squad Time / Event: 10:00am Team Pr.

USBC Tech: Sheldon Furr

Oil start time 9:30am

Oil end time 9:50am

Lane Machine #

# 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

13

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned

79.80

Lanes Oiled

79.82

Average Run Time

801

Tank "A" Valve

520

Tank "B" Valve

460

Lead Tech Initials

SF

Distances Taped

4.81 25'

Give Tapes To MOD



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-8-2023 Squad Time / Event: 11:30am TEAM A.

USBC Tech: Sheldon Funn Oil start time 10:46am Oil end time 11:15am

	# <u>5</u> BJ	# <u>6</u> Pract
Lane Machine #		
Drop Machines / Check Cloth and Tank		SF
Turn On Machine / Check Voltage 26.2 Volts		SF
Check Tanks For Full Fluids		SF
Change Planner To Proper Pattern AM/PM		SF
Warm Up Pumps At 50 Mics		SF
Check Combined Cleaner (32 mils)		SF
Replace Tip And Thumb Screw		SF
Take Machine To Lanes / Type In Lanes		SF
Burn 2 Lanes With Machine		SF
Have MOD Verify / Initial Log		T3
Start / Watch Numbers / Valve / Buffer RPM		SF
Walk All Lanes When Finished		SF
Dump / Fill Machines		SF
<b>RECORD READINGS</b>	# <u>5</u> BJ	# <u>6</u> Pract
Lanes Burned		79-80
Lanes Oiled		79-84
Average Run Time		516.783
Tank "A" Valve		516
Tank "B" Valve		458
Lead Tech Initials		SF
Distances Taped		L-81 25'
Give Tapes To MOD		



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-7-2023

Squad Time / Event: 11:30 AM TEAM P2.

USBC Tech: Sheldan Funa

Oil start time 10:45 AM

Oil end time 11:00 AM

Lane Machine #

# 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

T3

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned

79-80

Lanes Oiled

79-82

Average Run Time

520

Tank "A" Valve

455

Tank "B" Valve

786

Lead Tech Initials

SF

Distances Taped

L79 25'

Give Tapes To MOD



**2023 USBC Open Championship Daily Inspection Checklist**

Date: 4-6-2023

Time: 11:30am TEAM PR.

USBC Rep: Sheldon Funn

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-6-2023

Squad Time / Event: 11:30AM TEAM PR.

USBC Tech: Sheldon Funn

Oil start time 10:30AM

Oil end time 10:50AM

Lane Machine #

# 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

AKH

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned

88-87

Lanes Oiled

88-79

Average Run Time

795

Tank "A" Valve

520

Tank "B" Valve

461

Lead Tech Initials

SF

Distances Taped

25ft

Give Tapes To MOD



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-5-2023

Squad Time / Event: 10:00AM TEAM PR.

USBC Tech: Sheldon Furr





Oil start time 9:06

Oil end time 9:27

Lane Machine #	# <u>5</u> BJ	# <u>6</u> Pract
Drop Machines / Check Cloth and Tank		SF
Turn On Machine / Check Voltage 26.2 Volts		SF
Check Tanks For Full Fluids		SF
Change Planner To Proper Pattern AM/PM		SF
Warm Up Pumps At 50 Mics		SF
Check Combined Cleaner (32 mils)		SF
Replace Tip And Thumb Screw		SF
Take Machine To Lanes / Type In Lanes		SF
Burn 2 Lanes With Machine		SF
Have MOD Verify / Initial Log		AKH
Start / Watch Numbers / Valve / Buffer RPM		SF
Walk All Lanes When Finished		SF
Dump / Fill Machines		SF

**RECORD READINGS**

# <u>5</u> BJ	# <u>6</u> <input checked="" type="checkbox"/> Pract
Lanes Burned	87 & 88
Lanes Oiled	88-79
Average Run Time	795
Tank "A" Valve	520
Tank "B" Valve	460
Lead Tech Initials	SS
Distances Taped	25"
Give Tapes To MOD	✓

Lanes Burned   
 Lanes Oiled   
 Average Run Time 795  
 Tank "A" Valve  
 Tank "B" Valve  
 Lead Tech Initials   
 Distances Taped   
 Give Tapes To MOD



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-4-2023

Squad Time / Event: 10:00am TEAM PR.

USBC Tech: Sheldon Furr

Oil start time 9:20am

Oil end time 9:40am

Lane Machine #

# 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

LG

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

**RECORD READINGS**

# 5 BJ

# 6 Pract

Lanes Burned

82-81

Lanes Oiled

82-79

Average Run Time

789

Tank "A" Valve

513

Tank "B" Valve

456

Lead Tech Initials

SF

Distances Taped

L-81 25'

Give Tapes To MOD

**2023 USBC Open Championship Daily Inspection Checklist**

Date: 4-3-2023

Time: 10:00AM TEAM PR.

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-3-2023

Squad Time / Event: 10:00 AM TEAM PR.

USBC Tech: Sheldon Funa

Oil start time 9:30 AM

Oil end time 9:45 AM

Lane Machine #

# 5 BJ

# 6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

J3

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

**RECORD READINGS**

# 5 BJ

# 5 Pract

Lanes Burned

Lanes Oiled

83-88

Average Run Time

790

Tank "A" Valve

518

Tank "B" Valve

459

Lead Tech Initials

SF

Distances Taped

L-07 25'

Give Tapes To MOD



**2023 USBC Open Championship Daily Inspection Checklist**

Date: 4-2-2023

Time: TEAM Pa.

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-2-2023 Squad Time / Event: 2:30pm TEAM Pr.

USBC Tech: Sheldon Fink Oil start time 12:50pm Oil end time 1:45pm

	# <u>5</u> BJ	# <u>6</u> Pract
Lane Machine #		
Drop Machines / Check Cloth and Tank		SF
Turn On Machine / Check Voltage 26.2 Volts		SF
Check Tanks For Full Fluids		SF
Change Planner To Proper Pattern AM/PM		SF
Warm Up Pumps At 50 Mics		SF
Check Combined Cleaner (32 mils)		SF
Replace Tip And Thumb Screw		SF
Take Machine To Lanes / Type In Lanes		SF
Burn 2 Lanes With Machine		SF
Have MOD Verify / Initial Log		T3
Start / Watch Numbers / Valve / Buffer RPM		SF
Walk All Lanes When Finished		SF
Dump / Fill Machines		SF
<b>RECORD READINGS</b>	# <u>5</u> BJ	# <u>6</u> Pract
Lanes Burned		79-80
Lanes Oiled		79-82
Average Run Time		79 <del>8</del>
Tank "A" Valve		519
Tank "B" Valve		461
Lead Tech Initials		SF
Distances Taped		1-82-25'
Give Tapes To MOD		



# 2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-1-2023 Squad Time / Event: 10:00am Team Pr.

USBC Tech: Sheldon Funn Oil start time 9:30am Oil end time 9:55am

	# <u>5</u> BJ	# <u>6</u> Pract
Lane Machine #		
Drop Machines / Check Cloth and Tank		SF
Turn On Machine / Check Voltage 26.2 Volts		SF
Check Tanks For Full Fluids		SF
Change Planner To Proper Pattern AM/PM		SF
Warm Up Pumps At 50 Mics		SF
Check Combined Cleaner (32 mils)		SF
Replace Tip And Thumb Screw		SF
Take Machine To Lanes / Type In Lanes		SF
Burn 2 Lanes With Machine		SF
<b>Have MOD Verify / Initial Log</b>		
Start / Watch Numbers / Valve / Buffer RPM		SF
Walk All Lanes When Finished		SF
Dump / Fill Machines		SF
<b>RECORD READINGS</b>	# <u>5</u> BJ	# <u>6</u> Pract
Lanes Burned		88-87
Lanes Oiled		88-79
Average Run Time		790
Tank "A" Valve		524
Tank "B" Valve		455
Lead Tech Initials		SF
Distances Taped		85 25'
Give Tapes To MOD		