





2025 U.S. OPEN (PATTERN #3)



DISTANCE:	52 FEET	VOLUME:	32 mL
RATIO:	1.22:1	FORWARD:	16.16 mL
DROP BRUSH:	35 FEET	REVERSE:	15.84 mL
TANKS:	FIRE	PUMP:	40µL



FORWARD LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	2	40	18	500	A - FIRE	0 → 3	2,960
2	4L	4R	6	40	22	500	A - FIRE	3 → 21	7,920
3	4L	4R	4	40	26	500	A - FIRE	21 → 36	5,280
4	2L	2R	0	40	26	300	A - FIRE	36 → 43	0
5	2L	2R	0	40	26	200	A - FIRE	43 → 49	0
6	2L	2R	0	40	26	100	A - FIRE	49 → 52	0

REVERSE LOADS DATA

#	START	STOP	LOADS	MICS	SPEED	BUFF	TANK	DISTANCE	T.OIL
1	2L	2R	0	40	30	500	A - FIRE	35 → 34	0
2	4L	4R	5	40	18	500	A - FIRE	34 → 21	6,600
3	4L	4R	5	40	14	500	A - FIRE	21 → 12	6,600
4	4L	4R	2	40	10	500	A - FIRE	12 → 9	2,640
5	2L	2R	0	40	10	500	A - FIRE	9 → 0	0

THIS PATTERN IS DESIGNED FOR:

VARIABLE BUFFER SPEEDS | REVERSE DROP BRUSH

This pattern may require adjustments if using a lane machine that does not have these features

Created Nov 30, 2024 - Rendered for Atlas Pro.



KEGEL PATTERN LIBRARY APP



PATTERNLIBRARY.KEGEL.NET



SCAN QR CODE FOR MORE PATTERNS ON KEGEL PATTERN LIBRARY

