

2023 USBC Open Championship Daily Inspection Checklist

Date:

5-31-2023

USBC Rep:

Sheldon Turn

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mls)

Check Combined Cleaner (32 mls)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mls)

Tank "B" Calibration (20 mls)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time: 8:00am. 85 mins

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-31-2023

Squad Time / Event: 8:00am - 8:50am

USBC Tech: Sheldon Ford

Oil start time 7:15am

Oil end time 7:55am

Item	5	BJ	5	BJ
Lane Machine #	#	5	BJ	#
Drop Machines / Check Cloth and Tank	SF			
Turn On Machine / Check Voltage 26.2 Volts	SF			
Check Tanks For Full Fluids	SF			
Change Planner To Proper Pattern AM/PM	SF			
Warm Up Pumps At 50 Mics	SF			
Check Combined Cleaner (32 mils)	SF			
Replace Tip And Thumb Screw	SF			
Take Machine To Lanes / Type In Lanes	SF			
Burn 2 Lanes With Machine	SF			
Have MOD Verify / Initial Log	LC			
Start / Watch Numbers / Valve / Buffer RPM	SF			
Walk All Lanes When Finished	SF			
Dump / Fill Machines	SF			
RECORD READINGS	#	5	BJ	#
Lanes Burned				
Lanes Oiled				
Average Run Time	798			
Tank "A" Valve	566			
Tank "B" Valve	495			
Lead Tech Initials	SF			
Distances Taped	7-9 25'			
Give Tapes To MOD				

6 Pract

5 BJ

Burn Room

2023 USBC Open Championship Daily Inspection Checklist

Date:

5.30.2023

USBC Rep: Sheldon Furr

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mls)

Check Combined Cleaner (32 mls)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mls)

Tank "B" Calibration (20 mls)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time: 8:00am. 135 o/s

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-30-2023

Squad Time / Event: 8:00AM - 8:50 AM

USBC Tech: Sheldon Furr

Oil start time 7:00AM

Oil end time 7:35AM

Item	5	BJ	5	BJ
Lane Machine #	#	5	BJ	#
Drop Machines / Check Cloth and Tank	SF			
Turn On Machine / Check Voltage 26.2 Volts	SF			
Check Tanks For Full Fluids	SF			
Change Planner To Proper Pattern AM/PM	SF			
Warm Up Pumps At 50 Mics	SF			
Check Combined Cleaner (32 mils)	SF			
Replace Tip And Thumb Screw	SF			
Take Machine To Lanes / Type In Lanes	SF			
Burn 2 Lanes With Machine	SF			
Have MOD Verify / Initial Log	SF			
Start / Watch Numbers / Valve / Buffer RPM	SF			
Walk All Lanes When Finished	SF			
Dump / Fill Machines	SF			
RECORD READINGS	#	5	BJ	#
Lanes Burned				
Lanes Oiled				
Average Run Time				
Tank "A" Valve				
Tank "B" Valve				
Lead Tech Initials	SF			
Distances Taped				
Give Tapes To MOD				
Burn Room				
Lanes Oiled				
Average Run Time				
Tank "A" Valve				
Tank "B" Valve				
Lead Tech Initials	SF			
Distances Taped				
Give Tapes To MOD				

2023 USBC Open Championship Daily Inspection Checklist

Date:

5-29-23

USBC Rep:

Sheldon Funn

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mls)

Check Combined Cleaner (32 mls)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mls)

Tank "B" Calibration (20 mls)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time: 8:00am-8:30am dis

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Squad Time / Event: **8:00am 05 o/s**

Oil end time **7:30am**

Oil start time **7:10am**

USBC Tech: **Sheldon Fyfe**

Date: **5-29-2023**

Item	5	BJ	5	BJ
Lane Machine #	#	5	BJ	#
Drop Machines / Check Cloth and Tank	5F			
Turn On Machine / Check Voltage 26.2 Volts	5F			
Check Tanks For Full Fluids	5F			
Change Planner To Proper Pattern AM/PM	5F			
Warm Up Pumps At 50 Mics	5F			
Check Combined Cleaner (32 mils)	5F			
Replace Tip And Thumb Screw	5F			
Take Machine To Lanes / Type In Lanes	5F			
Burn 2 Lanes With Machine	5F			
Have MOD Verify / Initial Log	5F			
Start / Watch Numbers / Valve / Buffer RPM	5F			
Walk All Lanes When Finished	5F			
Dump / Fill Machines	5F			
RECORD READINGS	#	5	BJ	#
Lanes Burned				
Lanes Oiled				
Average Run Time				
Tank "A" Valve				
Tank "B" Valve				
Lead Tech Initials				
Distances Taped				
Give Tapes To MOD				

Bank Room
1-6
794
569
494
5F
1-3 25'

6 Pract

5 BJ

6 Pract

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-28-2023

Squad Time / Event: 8:00am - 8:50am

USBC Tech: Sheldon Farr

Oil start time 7:15am

Oil end time 7:35am

Lane Machine #	#	Oil start time	Oil end time
Drop Machines / Check Cloth and Tank	SF		
Turn On Machine / Check voltage 26.2 volts	SF		
Check Tanks For Full Fluids	SF		
Change Planner To Proper Pattern AM/PM	SF		
Warm Up Pumps At 50 Mics	SF		
Check Combined Cleaner (32 mills)	SF		
Replace Tip And Thumb Screw	SF		
Take Machine To Lanes / Type In Lanes	SF		
Burn 2 Lanes With Machine	SF		
Have MOD Verify / Initial Log	SF		
Start / Watch Numbers / Valve / Buffer RPM	SF		
Walk All Lanes When Finished	SF		
Dump / Fill Machines	SF		
RECORD READINGS			
Lanes Burned	#	5	BJ
Lanes Oiled	#	5	BJ
Average Run Time		803	
Tank "A" Valve		563	
Tank "B" Valve		494	
Lead Tech Initials		SF	
Distances Taped		7-11 25	
Give Tapes To MOD			

5 Pract

5 BJ

Burn Room

2023 USBC Open Championship Daily Inspection Checklist

Date:

5.27.2023

USBC Rep:

Sheldon Furr

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mls)

Check Combined Cleaner (32 mls)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mls)

Tank "B" Calibration (20 mls)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time: 8:00am. 1.5 hrs

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

5-27-23

USBC Tech: *Byron*

Oil start time 7am

Oil end time 7:13am

Lane Machine #

5 BJ

5 Pract

Drop Machines / Check Cloth and Tank

BC

Turn On Machine / Check voltage 26.2 volts

Check Tanks for Full Fluids

Change Planner To Proper Pattern AM/PM

Warm Up Pumps At 50 Mics

Check Combined Cleaner (32 mils)

Replace Tip And Thumb Screw

Take Machine To Lanes / Type In Lanes

Burn 2 Lanes With Machine

Have MOD Verify / Initial Log

Start / Watch Numbers / Valve / Buffer RPM

Walk All Lanes When Finished

Dump / Fill Machines

RECORD READINGS

5 BJ

5 Pract

Lanes Burned

Broom

Lanes Oiled

7-12

Average Run Time

194

Tank "A" Valve

56

Tank "B" Valve

494

Lead Tech Initials

BC

Distances Taped

2514 4119

Give Tapes To MOD

2023 USBC Open Championship Daily Inspection Checklist

Date:

5-26-2023

USBC Rep:

Sheeldon Furr

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mls)

Check Combined Cleaner (32 mls)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mls)

Tank "B" Calibration (20 mls)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	SF	SF	SF	SF	SF	SF
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time:

8:00am. B5 o/s

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

5-26-23

USBC Tech:

Byron

Oil start time: 7AM

Oil end time: 7:30AM

Squad Time / Event: 8AM

Lane Machine #

5 BJ

5 Pract

Drop Machines / Check Cloth and Tank

Turn On Machine / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Change Planner To Proper Pattern AM/PM

Warm Up Pumps At 50 Mics

Check Combined Cleaner (32 mils)

Replace Tip And Thumb Screw

Take Machine To Lanes / Type In Lanes

Burn 2 Lanes With Machine

Have MOD Verify / Initial Log

Start / Watch Numbers / Valve / Buffer RPM

Walk All Lanes When Finished

Dump / Fill Machines

RECORD READINGS

Lanes Burned

Broom

5 Pract

Lanes Oiled

1-12

Average Run Time

783

Tank "A" Valve

507

Tank "B" Valve

492

Lead Tech Initials

BC

Distances Taped

25ft wq

Give Tapes To MOD

2023 USBC Open Championship Daily Inspection Checklist

Date:

5.25.2023

USBC Rep:

Sheldon Furr

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mils)

Check Combined Cleaner (32 mils)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mils)

Tank "B" Calibration (20 mils)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time: 8:00am - 8:50 am

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-25-2023

USBC Tech: Sheldon Luma

Squad Time / Event: 8:00am BS 015

Oil start time 7:10am

Oil end time 7:40am

Item	Pract	#	Time
Lane Machine #	6	5	8J
Drop Machines / Check Cloth and Tank	SF		
Turn On Machine / Check Voltage 26.2 Volts	SF		
Check Tanks For Full Fluids	SF		
Change Planner To Proper Pattern AM/PM	SF		
Warm Up Pumps At 50 Mics	SF		
Check Combined Cleaner (32 mils)	SF		
Replace Tip And Thumb Screw	SF		
Take Machine To Lanes / Type In Lanes	SF		
Burn 2 Lanes With Machine	SF		
Have MOD Verify / Initial Log	SF		
Start / Watch Numbers / Valve / Buffer RPM	SF		
Walk All Lanes When Finished	SF		
Dump / Fill Machines	SF		
RECORD READINGS		5	8J
Lanes Burned			
Lanes Oiled			
Average Run Time			12-1
Tank "A" Valve			797
Tank "B" Valve			568
Lead Tech Initials			496
Distances Taped			SF
Give Tapes To MOD			7-9 25'

Gun Room

2023 USBC Open Championship Daily Inspection Checklist

Date:

5-24-2023

USBC Rep:

Sheldon Furr

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mils)

Check Combined Cleaner (32 mils)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mils)

Tank "B" Calibration (20 mils)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	SF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	SF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	SF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	SF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	SF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	SF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	SF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	SF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

#6

#5

#4

#3

#2

#1

Time:

8:00 AM. 65 OLS

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

5-24-2023

USBC Tech:

Sheldon Furr

Oil start time

7:05pm

Oil end time 7:20pm

Squad Time / Event:

8:00pm 65 ois

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

LCM

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

Burn Room

Lanes Oiled

7.12

Average Run Time

801

Tank "A" Valve

565

Tank "B" Valve

494

Lead Tech Initials

SF

Distances Taped

7.11 25'

Give Tapes To MOD

2023 USBC Open Championship Daily Inspection Checklist

Date:

5.23.2023

USBC Rep:

Sheldon Funn

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mils)

Check Combined Cleaner (32 mils)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mils)

Tank "B" Calibration (20 mils)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time: 8:00am - 135.0/5

SF

SF

SF

SF

SF

SF

SF

SF

SF

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Squad Time / Event: *8:00am. B5 015*

Oil end time *7:40*

Oil start time *7:10*

USBC Tech: *Sheldon Funn*

Date: *5.23.2023*

Item	Pract	#	Item	Pract	#
Lane Machine #		5	Lane Machine #		5
Drop Machines / Check Cloth and Tank		SF	Drop Machines / Check Cloth and Tank		SF
Turn On Machine / Check Voltage 26.2 Volts		SF	Turn On Machine / Check Voltage 26.2 Volts		SF
Check Tanks For Full Fluids		SF	Check Tanks For Full Fluids		SF
Change Planner To Proper Pattern AM/PM		SF	Change Planner To Proper Pattern AM/PM		SF
Warm Up Pumps At 50 Mics		SF	Warm Up Pumps At 50 Mics		SF
Check Combined Cleaner (32 mils)		SF	Check Combined Cleaner (32 mils)		SF
Replace Tip And Thumb Screw		SF	Replace Tip And Thumb Screw		SF
Take Machine To Lanes / Type In Lanes		SF	Take Machine To Lanes / Type In Lanes		SF
Burn 2 Lanes With Machine		SF	Burn 2 Lanes With Machine		SF
Have MOD Verify / Initial Log		<i>pat</i>	Have MOD Verify / Initial Log		<i>pat</i>
Start / Watch Numbers / Valve / Buffer RPM		SF	Start / Watch Numbers / Valve / Buffer RPM		SF
Walk All Lanes When Finished		SF	Walk All Lanes When Finished		SF
Dump / Fill Machines		SF	Dump / Fill Machines		SF
RECORD READINGS		5	RECORD READINGS		5
Lanes Burned			Lanes Burned		
Lanes Oiled			Lanes Oiled		
Average Run Time		<i>1.6</i>	Average Run Time		<i>1.6</i>
Tank "A" Valve		<i>566</i>	Tank "A" Valve		<i>566</i>
Tank "B" Valve		<i>493</i>	Tank "B" Valve		<i>493</i>
Lead Tech Initials		<i>SF</i>	Lead Tech Initials		<i>SF</i>
Distances Taped			Distances Taped		
Give Tapes To MOD			Give Tapes To MOD		

2023 USBC Open Championship Daily Inspection Checklist

Date: 5-22-2023

USBC Rep: Sheldon Funn

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mils)

Check Combined Cleaner (32 mils)

Warm Up Pumps at 50 mic

Tank "A" Calibration (20 mils)

Tank "B" Calibration (20 mils)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	5F	<input type="checkbox"/>	<input type="checkbox"/>	5F	<input type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time: 8:00 a.m. 135 ois

2023 USBC Open Championship Daily Inspection Checklist

Date:

5.21.2023

USBC Rep:

Sheldon Funn

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mils)

Check Combined Cleaner (32 mils)

Warm Up Pumps at 50 mic

Tank "A" Calibration (20 mils)

Tank "B" Calibration (20 mils)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	5F	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	5F	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time:

8:00 AM. 65 o/s

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

5-21-2023

USBC Tech:

Sheldon Funk

Oil start time 7:15am

Oil end time 7:25am

Squad Time / Event: 8:20am 85 015

Lane Machine #

5 BJ

5 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

13

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

5 Pract

Lanes Burned

5 BJ

5 Pract

Lanes Oiled

7-12

7-12

Average Run Time

192

192

Tank "A" Valve

567

567

Tank "B" Valve

491

491

Lead Tech Initials

SF

SF

Distances Taped

7-11 25'

7-11 25'

Give Tapes To MOD

7-11 25'

7-11 25'

2023 USBC Open Championship Daily Inspection Checklist

Date:

5-20-23

USBC Rep: Kevin Havel

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mls)

Check Combined Cleaner (32 mls)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mls)

Tank "B" Calibration (20 mls)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time:

8:00 AM

2023 USBC Open Championship Daily Inspection Checklist

Date:

5-19-23

USBC Rep:

John Horn

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mls)

Check Combined Cleaner (32 mls)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mls)

Tank "B" Calibration (20 mls)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time:

8:00 AM

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

5-19-23

Squad Time / Event:

8:00 AM DOWLER'S JOURNAL

USBC Tech:

KRUMER H

Oil start time

7:08 AM

Oil end time

7:26 AM

Lane Machine #	#	Pract	Lane Machine #	#	Pract
Drop Machines / Check Cloth and Tank	KM	5	KM	5	6
Turn On Machine / Check Voltage 26.2 Volts	KM	5	KM	5	6
Check Tanks For Full Fluids	KM	5	KM	5	6
Change Planner To Proper Pattern AM/PM	KM	5	KM	5	6
Warm Up Pumps At 50 Mils	KM	5	KM	5	6
Check Combined Cleaner (32 mils)	KM	5	KM	5	6
Replace Tip And Thumb Screw	KM	5	KM	5	6
Take Machine To Lanes / Type In Lanes	KM	5	KM	5	6
Burn 2 Lanes With Machine	KM	5	KM	5	6
Have MOD Verify / Initial Log	43	5	KM	5	6
Start / Watch Numbers / Valve / Buffer RPM	KM	5	KM	5	6
Walk All Lanes When Finished	KM	5	KM	5	6
Dump / Fill Machines	KM	5	KM	5	6
RECORD READINGS	#	Pract	#	Pract	
Lanes Burned	BR	5	BR	5	6
Lanes Oiled	L1-12	5	L1-12	5	6
Average Run Time	795	5	795	5	6
Tank "A" Valve	569	5	569	5	6
Tank "B" Valve	494	5	494	5	6
Lead Tech Initials	KM	5	KM	5	6
Distances Taped	L11, 25ft	5	L11, 25ft	5	6
Give Tapes To MOD		5		5	6

2023 USBC Open Championship Daily Inspection Checklist

Date:

5-18-2023

USBC Rep:

Sheldon Funn

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mls)

Check Combined Cleaner (32 mls)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mls)

Tank "B" Calibration (20 mls)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time: 8:00am. 185 o/s

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

5-18-2023

USBC Tech:

Sheldon Furr

Oil start time 7:10pm

Oil end time 7:30pm

Squad Time / Event: 8:00pm - 8:5 0LS

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

73

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

Blue Kover

Lanes Oiled

9-12

Average Run Time

795

Tank "A" Valve

567

Tank "B" Valve

490

Lead Tech Initials

SF

Distances Taped

6-9 25'

Give Tapes To MOD

2023 USBC Open Championship Daily Inspection Checklist

Date:

5-17-2023

USBC Rep:

Steflon Fun

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mils)

Check Combined Cleaner (32 mils)

Warm Up Pumps at 50 mic

Tank "A" Calibration (20 mils)

Tank "B" Calibration (20 mils)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time:

8:00am. B5 die

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

5-17-2023

USBC Tech:

Sheldon Furr

Oil start time 7:15am

Oil end time 7:45am

Squad Time / Event: 8:00am B5 o/s

8:00am B5 o/s

Item	5	B1	6	Pract
Lane Machine #				
Drop Machines / Check Cloth and Tank	SF			
Turn On Machine / Check Voltage 26.2 Volts	SF			
Check Tanks For Full Fluids	SF			
Change Planner To Proper Pattern AM/PM	SF			
Warm Up Pumps At 50 Mics	SF			
Check Combined Cleaner (32 mls)	SF			
Replace Tip And Thumb Screw	SF			
Take Machine To Lanes / Type In Lanes	SF			
Burn 2 Lanes With Machine	SF			
Have MOD Verify / Initial Log	LG			
Start / Watch Numbers / Valve / Buffer RPM	SF			
Walk All Lanes When Finished	SF			
Dump / Fill Machines	SF			
RECORD READINGS	# 5	B1	# 6	Pract
Lanes Burned				
Lanes Oiled	1-6			
Average Run Time	798			
Tank "A" Valve	566			
Tank "B" Valve	496			
Lead Tech Initials	SF			
Distances Taped	7.5	25		
Give Tapes To MOD				

2023 USBC Open Championship Daily Inspection Checklist

Date:

5-16-2023

USBC Rep:

Sheldon Funa

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mls)

Check Combined Cleaner (32 mls)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mls)

Tank "B" Calibration (20 mls)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	SF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time:

8:00pm 65 ois

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

5-16-2023

USBC Tech:

Sheldon Funn

Oil start time 7:05pm

Oil end time 7:30pm

Squad Time / Event: 8:00pm B5 OIS

Lane Machine #

5 B1

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mls)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

SF

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 B1

6 Pract

Lanes Burned

Blank Room

Lanes Oiled

7-12

Average Run Time

794

Tank "A" Valve

571

Tank "B" Valve

492

Lead Tech Initials

SF

Distances Taped

7-11 25'

Give Tapes To MOD

2023 USBC Open Championship Daily Inspection Checklist

Date:

5-15-2023

USBC Rep:

Sheldon Gm

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mls)

Check Combined Cleaner (32 mls)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mls)

Tank "B" Calibration (20 mls)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time: 8:00am - 8:15 ois

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

5-15-2023

USBC Tech:

Sheldon Furr

Oil start time

7:05am

Oil end time

7:25am

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

6 Pract

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planer To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mils

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

13

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

burn room

Lanes Oiled

1-6

Average Run Time

780

Tank "A" Valve

567

Tank "B" Valve

492

Lead Tech Initials

SF

Distances Taped

7-5 25.

Give Tapes To MOD

2023 USBC Open Championship Daily Inspection Checklist

Date:

5-14-2023

USBC Rep:

Sheldon Funn

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mils)

Check Combined Cleaner (32 mils)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mils)

Tank "B" Calibration (20 mils)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time:

8:00am. BT also

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

5-14-2023

USBC Tech:

Sheldon Funn

Oil start time

7:05am

Oil end time

7:30am

Squad Time / Event:

Pract # 6 015

Lane Machine #

5 B1

6 Pract

Drop Machines / Check Cloth and Tank

SF

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

SF

Check Tanks For Full Fluids

SF

SF

Change Planer To Proper Pattern AM/PM

SF

SF

Warm Up Pumps At 50 Mics

SF

SF

Check Combined Cleaner (32 mils)

SF

SF

Replace Tip And Thumb Screw

SF

SF

Take Machine To Lanes / Type In Lanes

Gun Room

7-12

797

564

493

SF

Lanes Burned

Lanes Oiled

Average Run Time

Tank "A" Valve

Tank "B" Valve

Lead Tech Initials

Distances Taped

Give Tapes To MOD

RECORD READINGS

Dump / Fill Machines

Walk All Lanes When Finished

Start / Watch Numbers / Valve / Buffer RPM

Have MOD Verify / Initial Log

Burn 2 Lanes With Machine

Take Machine To Lanes / Type In Lanes

Replace Tip And Thumb Screw

Check Combined Cleaner (32 mils)

Warm Up Pumps At 50 Mics

Change Planer To Proper Pattern AM/PM

Check Tanks For Full Fluids

Turn On Machine / Check Voltage 26.2 Volts

Drop Machines / Check Cloth and Tank

Lane Machine #

5 B1

6 Pract

Oil start time

7:05am

Oil end time

7:30am

Squad Time / Event:

Pract # 6 015

Date:

5-14-2023

USBC Tech:

Sheldon Funn

2023 USBC Open Championship Daily Inspection Checklist

Date:

5.12.2023

USBC Rep:

Sheldon Funn

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mils)

Check Combined Cleaner (32 mils)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mils)

Tank "B" Calibration (20 mils)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	ST	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	ST	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time:

8:00 am 15 min

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

5-12-23

USBC Tech:

Rymer H

Oil start time

7:01

Oil end time

7:25

Squad Time / Event:

8:00 AM B.J.

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

✓

Turn On Machine / Check Voltage 26.2 volts

✓

Check Tanks For Full Fluids

✓

Change Planner To Proper Pattern AM/PM

✓

Warm Up Pumps At 50 Mics

✓

Check Combined Cleaner (32 mils)

✓

Replace Tip And Thumb Screw

✓

Take Machine To Lanes / Type In Lanes

✓

Burn 2 lanes With Machine

✓

Have MOD Verify / Initial Log

13

Start / Watch Numbers / Valve / Buffer RPM

✓

Walk All Lanes When Finished

✓

Dump / Fill Machines

✓

RECORD READINGS

Lanes Burned

BR

Lanes Oiled

12-1

Average Run Time

796

Tank "A" Valve

566

Tank "B" Valve

496

Lead Tech Initials

25ft19

Distances Taped

Give Tapes To MOD

6 Pract

5 BJ

2023 USBC Open Championship Daily Inspection Checklist

Date:

5-11-2023

USBC Rep:

Sheldon Funn

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mils)

Check Combined Cleaner (32 mils)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mils)

Tank "B" Calibration (20 mils)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	55	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	55	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time:

8:00 AM. 85.015

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-11-2023
 USBC Tech: Sheldon Funn
 Oil start time 7:05am
 Squad Time / Event: B:DOMM. B5 ois
 Oil end time 7:40

Lane Machine #	# 5 BJ	# 6 Pract
Drop Machines / Check Cloth and Tank	SF	
Turn On Machine / Check Voltage 26.2 Volts	SF	
Check Tanks For Full Fluids	SF	
Change Planner To Proper Pattern AM/PM	SF	
Warm Up Pumps At 50 Mics	SF	
Check Combined Cleaner (32 mls)	SF	
Replace Tip And Thumb Screw	SF	
Take Machine To Lanes / Type In Lanes	SF	
Burn 2 Lanes With Machine	SF	
Have MOD Verify / Initial Log	13	
Start / Watch Numbers / Valve / Buffer RPM	SF	
Walk All Lanes When Finished	SF	
Dump / Fill Machines	SF	
RECORD READINGS	# 5 BJ	# 6 Pract
Lanes Burned	Burn Room	
Lanes Oiled	1-12	
Average Run Time	794	
Tank "A" Valve	562	
Tank "B" Valve	498	
Lead Tech Initials	SF	
Distances Taped	7-1 25.	
Give Tapes To MOD		

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Squad Time / Event: 8:00am - 3:5 ois

Oil end time 7:30am

Oil start time 7:05am

Sheldon Furr

Date:

5-10-2023

USBC Tech:

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

LG

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

Burn Room

Lanes Oiled

7-12

Average Run Time

800

Tank "A" Valve

565

Tank "B" Valve

492

Lead Tech Initials

SF

Distances Taped

6-11 25'

Give Tapes To MOD

2023 USBC Open Championship Daily Inspection Checklist

Date:

5-9-2023

USBC Rep:

Sheldon Turner

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mils)

Check Combined Cleaner (32 mils)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mils)

Tank "B" Calibration (20 mils)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time: 8:00am. B J oils

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

5-9-2023

USBC Tech:

Sheldon Fynn

Oil start time 7:05am

Oil end time 7:35am

Squad Time / Event: 8:00am BS

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

Ball Room

Lanes Oiled

1-12

Average Run Time

785

Tank "A" Valve

568

Tank "B" Valve

492

Lead Tech Initials

1 SF

Distances Taped

7-3 25'

Give Tapes To MOD

2023 USBC Open Championship Daily Inspection Checklist

Date:

5-8-2023

USBC Rep:

Sheldon Fung

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mls)

Check Combined Cleaner (32 mls)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mls)

Tank "B" Calibration (20 mls)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	SF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time:

8:00 Am. 85 o/s

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

5-8-2023

USBC Tech:

Sheldon Furr

Oil start time 7:05

Oil end time 7:35

Squad Time / Event: 8:00 AM 85 OIS

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mills)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

LB

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

Quar Room

Lanes Oiled

1-12

Average Run Time

806

Tank "A" Valve

567

Tank "B" Valve

492

Lead Tech Initials

SF

Distances Taped

7-9 . 25

Give Tapes To MOD

2023 USBC Open Championship Daily Inspection Checklist

Date:

5-7-2023

USBC Rep:

Sheldon Funn

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mls)

Check Combined Cleaner (32 mls)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mls)

Tank "B" Calibration (20 mls)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

ST

ST

ST

ST

ST

ST

ST

ST

ST

Time: 8:00am. B5 o/s

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

5-7-2023

USBC Tech:

Sheldon Funk

Oil start time

7:05am

Oil end time

7:35am

Squad Time / Event:

8:00am B I O/S

Lane Machine #

5 B1

6 Pract

Drop Machines / Check Cloth and Tank

SF

6 Pract

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mls)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

13

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 B1

6 Pract

Lanes Burned

Quik Rooms

Lanes Oiled

1-12

Average Run Time

565 799

Tank "A" Valve

565

Tank "B" Valve

490

Lead Tech Initials

SF

Distances Taped

7-1 25'

Give Tapes To MOD

2023 USBC Open Championship Daily Inspection Checklist

Date:

5-6-2023

USBC Rep: Sheldon Fum

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mls)

Check Combined Cleaner (32 mls)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mls)

Tank "B" Calibration (20 mls)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	SF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	SF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	SF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	SF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	SF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	SF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	SF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	SF	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

#1 #2 #3 #4 #5 #6

Time:

8:00am 65 o/s

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-6-2023

USBC Tech: Sheldon Fune

Squad Time / Event: 8:00 AM QJ o/s

Oil start time 7:20 AM

Oil end time 7:50 AM

Lane Machine #	#	Pract
Drop Machines / Check Cloth and Tank	5	6
Turn On Machine / Check Voltage 26.2 Volts	5	6
Check Tanks For Full Fluids	5	6
Change Planner To Proper Pattern AM/PM	5	6
Warm Up Pumps At 50 Mics	5	6
Check Combined Cleaner (32 mils)	5	6
Replace Tip And Thumb Screw	5	6
Take Machine To Lanes / Type in Lanes	5	6
Burn 2 Lanes With Machine	5	6
Have MOD Verify / Initial Log	5	6
Start / Watch Numbers / Valve / Buffer RPM	5	6
Walk All Lanes When Finished	5	6
Dump / Fill Machines	5	6
RECORD READINGS		
Lanes Burned	<u>Flow Room</u>	
Lanes Oiled	<u>1-12</u>	
Average Run Time	<u>780</u>	
Tank "A" Valve	<u>570</u>	
Tank "B" Valve	<u>495</u>	
Lead Tech Initials	<u>SF</u>	
Distances Taped	<u>1-7 25</u>	
Give Tapes To MOD		

2023 USBC Open Championship Daily Inspection Checklist

Date:

5-5-2023

USBC Rep: Sheldon Furr

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mls)

Check Combined Cleaner (32 mls)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mls)

Tank "B" Calibration (20 mls)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time: 8:00am BS o/s

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Squad Time / Event: 8:00am B5 o/s

Oil end time 7:35am

Date: 5-5-2023

USBC Tech: Sheldon Furr

Oil start time 7:00am

Lane Machine #	#	Oil start time	Oil end time
Drop Machines / Check Cloth and Tank	SF		
Turn On Machine / Check Voltage 26.2 Volts	SF		
Check Tanks For Full Fluids	SF		
Change Planner To Proper Pattern AM/PM	SF		
Warm Up Pumps At 50 Mics	SF		
Check Combined Cleaner (32 mils)	SF		
Replace Tip And Thumb Screw	SF		
Take Machine To Lanes / Type In Lanes	SF		
Burn 2 Lanes With Machine	SF		
Have MOD Verify / Initial Log	<u>13</u>		
Start / Watch Numbers / Valve / Buffer RPM	SF		
Walk All Lanes When Finished	SF		
Dump / Fill Machines	SF		
RECORD READINGS	# 5 BJ		
Lanes Burned	<u>Burn Room</u>		
Lanes Oiled	<u>1-12</u>		
Average Run Time	<u>799</u>		
Tank "A" Valve	<u>563</u>		
Tank "B" Valve	<u>495</u>		
Lead Tech Initials	<u>SF</u>		
Distances Taped	<u>1-5 25'</u>		
Give Tapes To MOD			

6 Pract

5 BJ

6 Pract

5 BJ

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Squad Time / Event: **8:00am Q5 o/s**

Oil start time **7:05am** Oil end time **7:35am**

USBC Tech: **Sheldon Furr**

Date: **5-4-2023**

Item	5	81	6	Pract
Lane Machine #				
Drop Machines / Check Cloth and Tank	SF			
Turn On Machine / Check Voltage 26.2 Volts	SF			
Check Tanks For Full Fluids	SF			
Change Planner To Proper Pattern AM/PM	SF			
Warm Up Pumps At 50 Mics	SF			
Check Combined Cleaner (32 mills)	SF			
Replace Tip And Thumb Screw	SF			
Take Machine To Lanes / Type In Lanes	SF			
Burn 2 Lanes With Machine	SF			
Have MOD Verify / Initial Log	LG			
Start / Watch Numbers / Valve / Buffer RPM	SF			
Walk All Lanes When Finished	SF			
Dump / Fill Machines	SF			
RECORD READINGS	# 5	81	# 6	Pract
Lanes Burned				
Lanes Oiled				
Average Run Time				
Tank "A" Valve				
Tank "B" Valve				
Lead Tech Initials				
Distances Taped				
Give Tapes To MOD				

1-12
783
566
492
SF
6-3 25'

Burn Room

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: **5-3-2023**

Squad Time / Event: **Burn Room BS 015**

USBC Tech: **Sheldon Furr**

Oil start time **7:15PM**

Oil end time **7:40PM**

Item	5	BJ	5	BJ
Lane Machine #				
Drop Machines / Check Cloth and Tank	5F			
Turn On Machine / Check Voltage 26.2 Volts	5F			
Check Tanks For Full Fluids	5F			
Change Planner To Proper Pattern AM/PM	5F			
Warm Up Pumps At 50 Mics	5F			
Check Combined Cleaner (32 mls)	5F			
Replace Tip And Thumb Screw	5F			
Take Machine To Lanes / Type In Lanes	5F			
Burn 2 Lanes With Machine	5F			
Have MOD Verify / Initial Log	5F			
Start / Watch Numbers / Valve / Buffer RPM	5F			
Walk All Lanes When Finished	5F			
Dump / Fill Machines	5F			
RECORD READINGS				
Lanes Burned				
Lanes Oiled				
Average Run Time				
Tank "A" Valve				
Tank "B" Valve				
Lead Tech Initials				
Distances Taped				
Give Tapes To MOD				
Burn Room				
Lanes Oiled				
Average Run Time				
Tank "A" Valve				
Tank "B" Valve				
Lead Tech Initials				
Distances Taped				
Give Tapes To MOD				
Burn Room				
Lanes Burned				
Lanes Oiled				
Average Run Time				
Tank "A" Valve				
Tank "B" Valve				
Lead Tech Initials				
Distances Taped				
Give Tapes To MOD				

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

5 BJ

6 Pract

2023 USBC Open Championship Daily Inspection Checklist

Date: 5-2-2023

USBC Rep: Shelton Lee

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mls)

Check Combined Cleaner (32 mls)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mls)

Tank "B" Calibration (20 mls)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time: 8:00am BS ols

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-2-2023

Squad Time / Event: 8:00am. 85 o/s

USBC Tech: Sheldon Furr

Oil start time 7:05am

Oil end time 7:25am

Lane Machine #

5 B1

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mills)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

SF

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 B1

6 Pract

Lanes Burned

Burn Rooms

Lanes Oiled

7-12

Average Run Time

787

Tank "A" Valve

569

Tank "B" Valve

490

Lead Tech Initials

SF

Distances Taped

7-11 25'

Give Tapes To MOD

2023 USBC Open Championship Daily Inspection Checklist

Date:

5-1-2023

USBC Rep:

Sheldon Furr

Turn On Machines / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Check Cleaner Only Volume (12 mls)

Check Combined Cleaner (32 mls)

Warm Up Pumps at 50 mics

Tank "A" Calibration (20 mls)

Tank "B" Calibration (20 mls)

Pattern Calibration / Team

Pattern Calibration / Minors

Replace Tip And Thumb screw

Post Daily Inspection Form On-Site

Post Daily Inspection Form On-Line

Mail Lane Tapes To USBC HQ

#1	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#2	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#3	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#4	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#5	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
#6	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Time: 8:00am. 135 o/s

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

5-1-2028

USBC Tech:

Sheldon Funn

Oil start time

7:05am

Oil end time

7:25am

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mills)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

1/3

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

Gun Room

Lanes Oiled

1-6

Average Run Time

780

Tank "A" Valve

565

Tank "B" Valve

492

Lead Tech Initials

SF

Distances Taped

7.5 25'

Give Tapes To MOD