

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6.30.2023

Squad Time / Event: 10:00AM TEAM PR.

USBC Tech: Sheldon Furr

Oil start time 9:00AM

Oil end time 9:15AM

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

SJL

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

L83-84

Lanes Oiled

L83-88

Average Run Time

798

Tank "A" Valve

516

Tank "B" Valve

461

Lead Tech Initials

MFH

Distances Taped

L83, 25ft

Give Tapes To MOD

Date: 6.29.2023

Time: Team A.

USBC Rep: Sheldon Ford

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-29-2023

Squad Time / Event: 10:00AM TEAM A.

USBC Tech: Sheldon Furr

Oil start time 9:00AM

Oil end time 9:25AM

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

SF

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

L 79-80

Lanes Oiled

L 79-88

Average Run Time

797

Tank "A" Valve

521

Tank "B" Valve

458

Lead Tech Initials

HM

Distances Taped

L 79, 25ft

Give Tapes To MOD

Date: 6-28-2023

Time: 5:00pm TEAM PR.

USBC Rep: Sheldon Foss

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6.28.2023

Squad Time / Event: 5:30pm TEAM PR.

USBC Tech: Sheldon Furr

Oil start time 4:10pm

Oil end time 4:40pm

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

~~SF~~

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

82-81

Lanes Oiled

82-79

Average Run Time

798

Tank "A" Valve

521

Tank "B" Valve

760

Lead Tech Initials

JW

Distances Taped

25 L. B1

Give Tapes To MOD

AKH

Date: 6-27-2023

Time: 10:00 AM, GERM PR.

USBC Rep: Sheldon Fung

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6.27.2023

Squad Time / Event: 10:00am. TEAM P2

USBC Tech: Sheldon Funa

Oil start time 9:02

Oil end time 9:15

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

SF

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

83-84/9-6

Lanes Oiled

83-88/5-10

Average Run Time

796

Tank "A" Valve

521

Tank "B" Valve

459

Lead Tech Initials

Distances Taped

25ft 4-83

Give Tapes To MOD

Date: 6-26-2023

Time: TEAM Pt.

USBC Rep: Sheldon Fure

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-26-2023

Squad Time / Event: 10:00AM TEAM Pr.

USBC Tech: Sheldon Funa

Oil start time 9:00AM

Oil end time 9:15AM

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

T3

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

L82-81

Lanes Oiled

L82-79

Average Run Time

802

Tank "A" Valve

524

Tank "B" Valve

458

Lead Tech Initials

HH

Distances Taped

L81, 25ft

Give Tapes To MOD

Date: 6-25-23

Time: 5am T's Kp

USBC Rep: Byron

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BC
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-25-23

Squad Time / Event: 10AM T's KP

USBC Tech: Byron

Oil start time 9:00 AM

Oil end time 9:15

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

BC

Turn On Machine / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Change Planner To Proper Pattern AM/PM

Warm Up Pumps At 50 Mics

Check Combined Cleaner (32 mils)

Replace Tip And Thumb Screw

Take Machine To Lanes / Type In Lanes

Burn 2 Lanes With Machine

Have MOD Verify / Initial Log

Start / Watch Numbers / Valve / Buffer RPM

Walk All Lanes When Finished

Dump / Fill Machines

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

L88-87

Lanes Oiled

L88-83

Average Run Time

794

Tank "A" Valve

522

Tank "B" Valve

459

Lead Tech Initials

Distances Taped

25ft 87N

Give Tapes To MOD

Date: 6-24-2023

Time: TEAM PR.

USBC Rep: Sheldon Funa

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6.24.2023

Squad Time / Event: 10:00 AM TEAM PR

USBC Tech: Sheldon Fuar

Oil start time 9:00 AM

Oil end time 9:14

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

T3

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

L 88-87

Lanes Oiled

L 88-83

Average Run Time

793

Tank "A" Valve

520

Tank "B" Valve

460

Lead Tech Initials

MFH

Distances Taped

L85, 25 FT

Give Tapes To MOD

Date: 6-23-2023

Time: 10:00am TEAM Pr.

USBC Rep: Sheldon Funn

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-23-2023

Squad Time / Event: 10:00am TEAM PR

USBC Tech: Sheldon Funn

Oil start time 9:00 AM

Oil end time 9:15

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

T3

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

L83-84

Lanes Oiled

L83-88

Average Run Time

800

Tank "A" Valve

522

Tank "B" Valve

460

Lead Tech Initials

HAM

Distances Taped

L83, 25 FT

Give Tapes To MOD

Date: 6-22-2023

Time: 10:00 TEAM PR.

USBC Rep: Sheldon Funn

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-22-2023

Squad Time / Event: 10:00am TEAM PR.

USBC Tech: Sheldon Furr

Oil start time 9:00

Oil end time 9:20

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

T3

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

5 Pract

Lanes Burned

L88-87

Lanes Oiled

L88-83

Average Run Time

802

Tank "A" Valve

520

Tank "B" Valve

454

Lead Tech Initials

KH

Distances Taped

L 87, 25ft

Give Tapes To MOD

Date: 6-21-2023

Time: 10:00am. TERM Pr.

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-21-2023

Squad Time / Event: 10:00AM TEAM PR.

USBC Tech: Sheldon Funn

Oil start time ^{9:15AM} 10:15AM

Oil end time ^{9:40AM} 10:40AM

	# <u>5</u> BJ	# <u>6</u> Pract
Lane Machine #		
Drop Machines / Check Cloth and Tank		SF
Turn On Machine / Check Voltage 26.2 Volts		SF
Check Tanks For Full Fluids		SF
Change Planner To Proper Pattern AM/PM		SF
Warm Up Pumps At 50 Mics		SF
Check Combined Cleaner (32 mils)		SF
Replace Tip And Thumb Screw		SF
Take Machine To Lanes / Type In Lanes		SF
Burn 2 Lanes With Machine		SF
Have MOD Verify / Initial Log		X77
Start / Watch Numbers / Valve / Buffer RPM		SF
Walk All Lanes When Finished		SF
Dump / Fill Machines		SF
RECORD READINGS	# <u>5</u> BJ	# <u>6</u> Pract
Lanes Burned		79-80
Lanes Oiled		79-82
Average Run Time		798
Tank "A" Valve		520
Tank "B" Valve		460
Lead Tech Initials		SF
Distances Taped		L-81 25
Give Tapes To MOD		

Date: 6.20.2023

Time: TEAM P.A.

USBC Rep: Sheldon Funn

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6.20.2023 Squad Time / Event: 4PM TEAM PR.

USBC Tech: Sheldon Fung Oil start time 3:20 PM Oil end time 3:40 PM

	# <u>5</u> BJ	# <u>6</u> Pract	
Drop Machines / Check Cloth and Tank		SF	
Turn On Machine / Check Voltage 26.2 Volts		SF	
Check Tanks For Full Fluids		SF	
Change Planner To Proper Pattern AM/PM		SF	
Warm Up Pumps At 50 Mics		SF	
Check Combined Cleaner (32 mils)		SF	
Replace Tip And Thumb Screw		SF	
Take Machine To Lanes / Type In Lanes		SF	
Burn 2 Lanes With Machine		SF	
Have MOD Verify / Initial Log		[Signature]	
Start / Watch Numbers / Valve / Buffer RPM		SF	
Walk All Lanes When Finished		SF	
Dump / Fill Machines		SF	

	# <u>5</u> BJ	# <u>6</u> Pract	
RECORD READINGS			
Lanes Burned		88-87	
Lanes Oiled		88-879	
Average Run Time		801	
Tank "A" Valve		521	
Tank "B" Valve		453	
Lead Tech Initials		BC	
Distances Taped		25FT. L.85	
Give Tapes To MOD		[Signature]	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

6-19-2023

Squad Time / Event: 10:00AM TEAM PR

USBC Tech:

Sholdon Furr

Oil start time

9:00AM

Oil end time

9:30

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

SF

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

L88-87

Lanes Oiled

L88-79

Average Run Time

806

Tank "A" Valve

517

Tank "B" Valve

458

Lead Tech Initials

KM

Distances Taped

L85, 25ft

Give Tapes To MOD

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-18-23 **Squad Time / Event:** LPM T'S KP

USBC Tech: Byron **Oil start time** 12:pm **Oil end time** 12:28pm

	# <u>5</u> BJ	# <u>5</u> Pract	
Lane Machine #			#6
Drop Machines / Check Cloth and Tank			Byron
Turn On Machine / Check Voltage 26.2 Volts			
Check Tanks For Full Fluids			
Change Planner To Proper Pattern AM/PM			
Warm Up Pumps At 50 Mics			
Check Combined Cleaner (32 mils)			
Replace Tip And Thumb Screw			
Take Machine To Lanes / Type In Lanes			
Burn 2 Lanes With Machine			
Have MOD Verify / Initial Log			
Start / Watch Numbers / Valve / Buffer RPM			
Walk All Lanes When Finished			
Dump / Fill Machines			

	# <u>5</u> BJ	# <u>5</u> Pract	
RECORD READINGS			
Lanes Burned			88-87
Lanes Oiled			88-79
Average Run Time			798
Tank "A" Valve			522
Tank "B" Valve			459
Lead Tech Initials			BC
Distances Taped			
Give Tapes To MOD			

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6/17/23

Squad Time / Event: TEAM PRAC. 11:30am

USBC Tech: Kylee Hays

Oil start time 10:30AM

Oil end time 10:44AM

Lane Machine # # 5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

KH

Turn On Machine / Check Voltage 26.2 Volts

KH

Check Tanks For Full Fluids

KH

Change Planner To Proper Pattern AM/PM

KH

Warm Up Pumps At 50 Mics

KH

Check Combined Cleaner (32 mils)

KH

Replace Tip And Thumb Screw

KH

Take Machine To Lanes / Type In Lanes

KH

Burn 2 Lanes With Machine

KH

Have MOD Verify / Initial Log

Start / Watch Numbers / Valve / Buffer RPM

KH

Walk All Lanes When Finished

KH

Dump / Fill Machines

KH

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

L81-82

Lanes Oiled

L82-79

Average Run Time

796

Tank "A" Valve

517

Tank "B" Valve

460

Lead Tech Initials

KH

Distances Taped

L79, 25ft

Give Tapes To MOD

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-16-23

Squad Time / Event: TEAM PRAC.

USBC Tech: KYNER HANSEN

Oil start time 9:00AM

Oil end time _____

Lane Machine #	#	5	BJ		#	5	Pract
Drop Machines / Check Cloth and Tank							KH
Turn On Machine / Check Voltage 26.2 Volts							↓
Check Tanks For Full Fluids							
Change Planner To Proper Pattern AM/PM							
Warm Up Pumps At 50 Mics							
Check Combined Cleaner (32 mils)							
Replace Tip And Thumb Screw							
Take Machine To Lanes / Type In Lanes							
Burn 2 Lanes With Machine							↓
Have MOD Verify / Initial Log							AKH
Start / Watch Numbers / Valve / Buffer RPM							KH
Walk All Lanes When Finished							↓
Dump / Fill Machines							↓
RECORD READINGS							# <u>6</u> Pract
Lanes Burned							L88-87
Lanes Oiled							L88-83
Average Run Time							796
Tank "A" Valve							516
Tank "B" Valve							454
Lead Tech Initials							KH
Distances Taped							L87, 25FT
Give Tapes To MOD							

Date: 6-15-2023

Time: TEAM Pk.

USBC Rep: Sheldon Funn

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6.15.2023

Squad Time / Event: _____ TEAM Pr.

USBC Tech: Sheldon Fene

Oil start time 9:00 Am

Oil end time _____

Lane Machine #	#	5	BJ		#	5	Pract
Drop Machines / Check Cloth and Tank							SF
Turn On Machine / Check Voltage 26.2 Volts							SF
Check Tanks For Full Fluids							SF
Change Planner To Proper Pattern AM/PM							SF
Warm Up Pumps At 50 Mics							SF
Check Combined Cleaner (32 mils)							SF
Replace Tip And Thumb Screw							SF
Take Machine To Lanes / Type In Lanes							SF
Burn 2 Lanes With Machine							SF
Have MOD Verify / Initial Log							ALCH
Start / Watch Numbers / Valve / Buffer RPM							SF
Walk All Lanes When Finished							SF
Dump / Fill Machines							SF
RECORD READINGS							# 5 Pract
Lanes Burned							L 79 - 80
Lanes Oiled							79 - 88
Average Run Time							785
Tank "A" Valve							516
Tank "B" Valve							460
Lead Tech Initials							KM
Distances Taped							L 81, 25ft
Give Tapes To MOD							

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 6-14-2023

Time: TEMM Pr.

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-14-2023

Squad Time / Event: _____ TEAM Pr.

USBC Tech: Sheldon Furr

Oil start time 9:00 A.M.

Oil end time 9:17 AM

Lane Machine #	#	5	BJ	#	6	Pract
Drop Machines / Check Cloth and Tank						SF
Turn On Machine / Check Voltage 26.2 Volts						SF
Check Tanks For Full Fluids						SF
Change Planner To Proper Pattern AM/PM						SF
Warm Up Pumps At 50 Mics						SF
Check Combined Cleaner (32 mils)						SF
Replace Tip And Thumb Screw						SF
Take Machine To Lanes / Type In Lanes						SF
Burn 2 Lanes With Machine						SF
Have MOD Verify / Initial Log						KH
Start / Watch Numbers / Valve / Buffer RPM						SF
Walk All Lanes When Finished						SF
Dump / Fill Machines						SF

RECORD READINGS	#	5	BJ	#	6	Pract
Lanes Burned						L88-87
Lanes Oiled						L88-83
Average Run Time						793
Tank "A" Valve						521
Tank "B" Valve						457
Lead Tech Initials						KH
Distances Taped						L 87, 25 FT
Give Tapes To MOD						

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 6-13-2023

Time: TEAM Pr.

USBC Rep: Sheldon Fuma

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6.13.2023

Squad Time / Event: 10AM TEAM Pr.

USBC Tech: Sheldon Funn

Oil start time 9:30AM

Oil end time 9:50AM

Lane Machine #	#	5	BJ	#	5	Pract
Drop Machines / Check Cloth and Tank						SF
Turn On Machine / Check Voltage 26.2 Volts						SF
Check Tanks For Full Fluids						SF
Change Planner To Proper Pattern AM/PM						SF
Warm Up Pumps At 50 Mics						SF
Check Combined Cleaner (32 mils)						SF
Replace Tip And Thumb Screw						SF
Take Machine To Lanes / Type In Lanes						SF
Burn 2 Lanes With Machine						SF
Have MOD Verify / Initial Log						TJ
Start / Watch Numbers / Valve / Buffer RPM						SF
Walk All Lanes When Finished						SF
Dump / Fill Machines						SF

RECORD READINGS	#	5	BJ	#	5	Pract
Lanes Burned						82-81
Lanes Oiled						82-79
Average Run Time						795
Tank "A" Valve						618
Tank "B" Valve						460
Lead Tech Initials						SF
Distances Taped						25ft 481
Give Tapes To MOD						

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 6-12-2023

Time: 2:30 pm TEAM Pr.

USBC Rep: Sheldon Funn

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-12-2023

Squad Time / Event: 2:30pm TEAM A.

USBC Tech: Sheldon Ford

Oil start time 1:30pm

Oil end time 1:55pm

Lane Machine #	#	5	BJ	#	6	Pract
Drop Machines / Check Cloth and Tank						SF
Turn On Machine / Check Voltage 26.2 Volts						SF
Check Tanks For Full Fluids						SF
Change Planner To Proper Pattern AM/PM						SF
Warm Up Pumps At 50 Mics						SF
Check Combined Cleaner (32 mils)						SF
Replace Tip And Thumb Screw						SF
Take Machine To Lanes / Type In Lanes						SF
Burn 2 Lanes With Machine						SF
Have MOD Verify / Initial Log						T3
Start / Watch Numbers / Valve / Buffer RPM						SF
Walk All Lanes When Finished						SF
Dump / Fill Machines						SF

RECORD READINGS	#	5	BJ	#	6	Pract
Lanes Burned						88-87
Lanes Oiled						88-83
Average Run Time						798
Tank "A" Valve						519
Tank "B" Valve						455
Lead Tech Initials						
Distances Taped						25ft 4N85
Give Tapes To MOD						

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-11-23

Squad Time / Event: 8 AM

USBC Tech: Jeff J

Oil start time 7:40

Oil end time 8:00

Lane Machine #	#	5	BJ	#	6	Pract
Drop Machines / Check Cloth and Tank						JJ
Turn On Machine / Check Voltage 26.2 Volts						
Check Tanks For Full Fluids						
Change Planner To Proper Pattern AM/PM						
Warm Up Pumps At 50 Mics						
Check Combined Cleaner (32 mils)						
Replace Tip And Thumb Screw						
Take Machine To Lanes / Type In Lanes						
Burn 2 Lanes With Machine						
Have MOD Verify / Initial Log						T3
Start / Watch Numbers / Valve / Buffer RPM						
Walk All Lanes When Finished						
Dump / Fill Machines						

RECORD READINGS	#	5	BJ	#	6	Pract
Lanes Burned					83	84
Lanes Oiled					84	79
Average Run Time						790
Tank "A" Valve						520
Tank "B" Valve						460
Lead Tech Initials						JJ
Distances Taped						25" LNSI
Give Tapes To MOD						✓

Burn

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 6/10/23

Time: TEAM Pr.

USBC Rep: Alan Cottrell

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

#6

AD

AD



2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6/10/23

Squad Time / Event: TEAM Pr.

USBC Tech: Alan Cottrell

Oil start time 9:00 am

Oil end time 9:23

Lane Machine #	# <u>5</u> BJ		# <u>5</u> Pract
Drop Machines / Check Cloth and Tank			BC
Turn On Machine / Check Voltage 26.2 Volts			
Check Tanks For Full Fluids			
Change Planner To Proper Pattern AM/PM			
Warm Up Pumps At 50 Mics			
Check Combined Cleaner (32 mils)			
Replace Tip And Thumb Screw			
Take Machine To Lanes / Type In Lanes			
Burn 2 Lanes With Machine			
Have MOD Verify / Initial Log			
Start / Watch Numbers / Valve / Buffer RPM			
Walk All Lanes When Finished			
Dump / Fill Machines			
RECORD READINGS	# <u>5</u> BJ		# <u>5</u> Pract
Lanes Burned			88-87
Lanes Oiled			88-83
Average Run Time			801
Tank "A" Valve			522
Tank "B" Valve			461
Lead Tech Initials			AC
Distances Taped			25/87
Give Tapes To MOD			

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 6-9-2023

Time: 10:00am. TEAM PR.

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-9-2023

Squad Time / Event: 10:00am TEAM PR.

USBC Tech: Sheldon Furr

Oil start time 9:00AM

Oil end time 9:23AM

Lane Machine #	# <u>5</u> BJ		# <u>6</u> Pract	
Drop Machines / Check Cloth and Tank			SF	
Turn On Machine / Check Voltage 26.2 Volts			SF	
Check Tanks For Full Fluids			SF	
Change Planner To Proper Pattern AM/PM			SF	
Warm Up Pumps At 50 Mics			SF	
Check Combined Cleaner (32 mils)			SF	
Replace Tip And Thumb Screw			SF	
Take Machine To Lanes / Type In Lanes			SF	
Burn 2 Lanes With Machine			SF	
Have MOD Verify / Initial Log			AH	
Start / Watch Numbers / Valve / Buffer RPM			SF	
Walk All Lanes When Finished			SF	
Dump / Fill Machines			SF	

RECORD READINGS

	# <u>5</u> BJ		# <u>6</u> Pract	
Lanes Burned			L 79-80	
Lanes Oiled			L 79-80	
Average Run Time			803	
Tank "A" Valve			519	
Tank "B" Valve			456	
Lead Tech Initials			KH	
Distances Taped			L 79, 25ft	
Give Tapes To MOD				

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 6-8-2023

Time: 10:00am - Team P.

USBC Rep: Sheldon Funn

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-8-2023

Squad Time / Event: 10:00am TENNIS

USBC Tech: Sheldone Funa

Oil start time 9:01

Oil end time 9:35am

Lane Machine #

5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

AKL

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

L88-87

Lanes Oiled

L88-79

Average Run Time

797

Tank "A" Valve

525

Tank "B" Valve

461

Lead Tech Initials

SF

Distances Taped

L89, 25ft

Give Tapes To MOD

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-7-2023

Squad Time / Event: 10:00 AM TENN Pr.

USBC Tech: Sheldon Fune

Oil start time 9:05

Oil end time 9:35

Lane Machine #	# <u>5</u> BJ	# <u>6</u> Pract	
Drop Machines / Check Cloth and Tank		SF	
Turn On Machine / Check Voltage 26.2 Volts		SF	
Check Tanks For Full Fluids		SF	
Change Planner To Proper Pattern AM/PM		SF	
Warm Up Pumps At 50 Mics		SF	
Check Combined Cleaner (32 mils)		SF	
Replace Tip And Thumb Screw		SF	
Take Machine To Lanes / Type In Lanes		SF	
Burn 2 Lanes With Machine		SF	
Have MOD Verify / Initial Log		<i>Sh</i>	
Start / Watch Numbers / Valve / Buffer RPM		SF	
Walk All Lanes When Finished		SF	
Dump / Fill Machines		SF	
RECORD READINGS	# <u>5</u> BJ	# <u>6</u> Pract	
Lanes Burned		87.88	
Lanes Oiled		88-79	
Average Run Time		794	
Tank "A" Valve		521	
Tank "B" Valve		458	
Lead Tech Initials			
Distances Taped		25' Ln 85	
Give Tapes To MOD			

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 6-6-2023

Time: TEAM PR.

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-6-2023

Squad Time / Event: 11:30 TEAM PR.

USBC Tech: Sheldon Funn

Oil start time 10:15am

Oil end time 10:50am

Lane Machine #	#	5	8J		#	6	Pract
Drop Machines / Check Cloth and Tank							SF
Turn On Machine / Check Voltage 26.2 Volts							SF
Check Tanks For Full Fluids							SF
Change Planner To Proper Pattern AM/PM							SF
Warm Up Pumps At 50 Mics							SF
Check Combined Cleaner (32 mils)							SF
Replace Tip And Thumb Screw							SF
Take Machine To Lanes / Type In Lanes							SF
Burn 2 Lanes With Machine							SF
Have MOD Verify / Initial Log							AEH
Start / Watch Numbers / Valve / Buffer RPM							SF
Walk All Lanes When Finished							SF
Dump / Fill Machines							SF
RECORD READINGS							
Lanes Burned							8887
Lanes Oiled							8883
Average Run Time							790
Tank "A" Valve							520
Tank "B" Valve							461
Lead Tech Initials							
Distances Taped							
Give Tapes To MOD							

2023 USBC Open CHampionship Daily Inspection Checklist

Date: 6-5-2023

Time: 10:00am TEAM PR.

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5	#6
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-5-2023

Squad Time / Event: 10:00am TEAM Pr.

USBC Tech: Sheldon Fura

Oil start time 9:01 AM

Oil end time 9:20am

Lane Machine # # 5 BJ

6 Pract

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Change Planner To Proper Pattern AM/PM

SF

Warm Up Pumps At 50 Mics

SF

Check Combined Cleaner (32 mils)

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

AKH

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

5 BJ

6 Pract

Lanes Burned

L88-87

Lanes Oiled

L88-83

Average Run Time

794

Tank "A" Valve

516

Tank "B" Valve

498

Lead Tech Initials

AKH

Distances Taped

L85, 25ft

Give Tapes To MOD

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-3-23

Squad Time / Event: 10 AM

USBC Tech: B/row

Oil start time 9 AM

Oil end time 9:30 AM

Lane Machine #	#	5	8J	#	Pract
Drop Machines / Check Cloth and Tank				BC	
Turn On Machine / Check Voltage 26.2 Volts					
Check Tanks For Full Fluids					
Change Planner To Proper Pattern AM/PM					
Warm Up Pumps At 50 Mics					
Check Combined Cleaner (32 mils)					
Replace Tip And Thumb Screw					
Take Machine To Lanes / Type In Lanes					
Burn 2 Lanes With Machine					
Have MOD Verify / Initial Log					
Start / Watch Numbers / Valve / Buffer RPM					
Walk All Lanes When Finished					
Dump / Fill Machines					

RECORD READINGS

5 8J

6 Pract

Lanes Burned	88-87
Lanes Oiled	88-79
Average Run Time	793
Tank "A" Valve	520
Tank "B" Valve	458
Lead Tech Initials	BC
Distances Taped	25ft 4083
Give Tapes To MOD	

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6-2-2023

Squad Time / Event: 8:30 TEAM Pr.

USBC Tech: Sheldon Furr

Oil start time 7:30 AM

Oil end time 8:05 AM

Lane Machine # # 5 BJ

6 Pract

Drop Machines / Check Cloth and Tank		SF
Turn On Machine / Check voltage 26.2 Volts		SF
Check Tanks For Full Fluids		SF
Change Planner To Proper Pattern AM/PM		SF
Warm Up Pumps At 50 Mics		SF
Check Combined Cleaner (32 mils)		SF
Replace Tip And Thumb Screw		SF
Take Machine To Lanes / Type In Lanes		SF
Burn 2 Lanes With Machine		SF
Have MOD Verify / Initial Log		AKH
Start / Watch Numbers / Valve / Buffer RPM		SF
Walk All Lanes When Finished		SF
Dump / Fill Machines		SF

RECORD READINGS # 5 BJ

6 Pract

Lanes Burned		L79-80
Lanes Oiled		L79-88
Average Run Time		789
Tank "A" Valve		514
Tank "B" Valve		459
Lead Tech Initials		AKH
Distances Taped		L81,25ft
Give Tapes To MOD		

2023 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 6.1.2023

Squad Time / Event: 10:00am. TEAM Pr.

USBC Tech: Sheldon Funn

Oil start time 9:01 AM

Oil end time 9:15 AM

Lane Machine #	#	5	BJ	#	6	Pract
Drop Machines / Check Cloth and Tank						SF
Turn On Machine / Check Voltage 26.2 Volts						SF
Check Tanks For Full Fluids						SF
Change Planner To Proper Pattern AM/PM						SF
Warm Up Pumps At 50 Mics						SF
Check Combined Cleaner (32 mils)						SF
Replace Tip And Thumb Screw						SF
Take Machine To Lanes / Type In Lanes						SF
Burn 2 Lanes With Machine						SF
Have MOD Verify / Initial Log						AKH
Start / Watch Numbers / Valve / Buffer RPM						SF
Walk All Lanes When Finished						SF
Dump / Fill Machines						SF

RECORD READINGS	#	5	BJ	#	6	Pract
Lanes Burned						L88-87
Lanes Oiled						L88-83
Average Run Time						795
Tank "A" Valve						514
Tank "B" Valve						459
Lead Tech Initials						KM
Distances Taped						L83, 25A+
Give Tapes To MOD						